



## Bobrick - Washroom Accessories



### PRESTIGE BUILDINGS

Corporate Headquarters  
Class A Office Projects  
Civic Center Icons  
Universities

**Restroom Usage and  
Accessory Requirements:**

Low to moderate traffic  
Minimal use and abuse  
Architectural design excellence  
Quality materials and equipment



### HEAVY TRAFFIC BUILDINGS

Heavy Traffic Buildings  
K-12 Schools  
Retail Malls  
Amusement, Recreation  
Transportation Centers

**Restroom Usage and  
Accessory Requirements:**

Periods of extreme traffic flows  
Vandal-prone use and abuse  
Equipment durability over design  
Extra-large capacities



### STANDARD USE BUILDINGS

Commercial Office Facilities  
Healthcare Centers  
Hospitality Projects  
Manufacturing Plants

**Restroom Usage and  
Accessory Requirements:**

Moderate to heavy traffic  
Some heavy use and abuse  
Equipment durability important  
Budget-sensitive specifications

## Conversion Chart

ASI #	Bobrick#	Moen/CSI
0185	7120	
0030	2888	
0332	822	
0469	3944	
0620	165	
3700	5806	
0210	262	
0347	2111	
0477SM	221	
0462AD	369	
0828	279	
0535	293	
0852	254	
0345	2112	
0710		110CH
7305-S		P1780



## Bobrick - Washroom Accessories

### B5806 - Series

#### GRAB BARS - CONCEALED MOUNTING WITH SNAP FLANGE

##### FEATURES

- Constructed of 18-gauge (1.2mm), type 304 satin-finish stainless steel tubing in 1 1/4" diameters.
- Concealed mounting flange 1/8" (3mm) thick, type 304 stainless steel plate, 2" W x 3 1/8" H (50 x 80mm), with screw holes for concealed anchors.
- Cover is 22-gauge (0.8mm), type 304 stainless steel with satin finish, 3 1/4" (85mm) diameter.
- Cover snaps over mounting flange to conceal screws.
- Optional B-25230 Sheet Metal Screw PK (2 packs needed per grab bar)  
Note: NO mounting screws are included with grab bar.



#### GRAB BAR BARRIER-FREE WASHROOM GUIDELINES:

Diameter of grab bars should be 1 1/4" to 1 1/2" (32–38mm) with 1 1/2" (38mm) clearance from the wall. Grab bars should not rotate in their fittings. The required mounting height is universally 33" to 36" (840–915mm) from the centerline of the grab bar to the finish floor. The structural strength of all grab bars and their mounting devices should withstand more than 250 pounds of force (1112 N). For all Barrier-Free toilet compartments, individual toilet rooms and guest bathrooms, it is recommended that a 36" (915mm) minimum horizontal grab bar be installed on the back wall over the toilet and a 42" (1065mm) minimum horizontal grab bar be installed on the side wall or partition nearest the toilet. This can also be accomplished with a single horizontal two-wall grab bar.

Note: Two-Wall grab bar (special order)

#### Stocked Product

1 1/4" (32MM) DIA. STRAIGHT/SATIN

B-5806x18" (457mm)

B-5806x24" (610mm)

B-5806x36" (915mm)

B-5806x42" (1065mm)

B-5806x48" (1220mm)

B-25230 SHEET METAL SCREW PK



### B6806 - Series

#### GRAB BARS - CONCEALED MOUNTING WITH SNAP FLANGE

##### FEATURES

- Constructed of 18-gauge (1.2mm), type 304 satin-finish stainless steel tubing in 1 1/2" diameters.
- Concealed mounting flange 1/8" (3mm) thick, type 304 stainless steel plate, 2" W x 3 1/8" H (50 x 80mm), with screw holes for concealed anchors.
- Cover is 22-gauge (0.8mm), type 304 stainless steel with satin finish, 3 1/4" (85mm) diameter.
- Cover snaps over mounting flange to conceal screws.
- Optional B-25230 Sheet Metal Screw PK (2 packs needed per grab bar)  
Note: NO mounting screws are included with grab bar.



#### Stocked Product

1 1/2" (32MM) DIA. STRAIGHT/SATIN

B-6806x18" (457mm)

B-6806x24" (610mm)

B-6806x36" (915mm)

B-6806x42" (1065mm)

B-6806x48" (1220mm)

B-25230 SHEET METAL SCREW PK





## **Bobrick – Washroom Accessories**

### *B293 - Series*

#### **FIXED-POSITION TILT MIRRORS**

##### **FEATURES**

Provide visibility for wheelchair patients. Frame is type 304 stainless steel, satin finish. Beveled edges of frame hug mirror; provides gapless fit for improved appearance, and safety when cleaning mirror. No. 1 quality, 1/4" (6mm) glass mirror electrolytically copper plated. Mirror extends 4" (100mm) from wall at top and tapers to 1" (25mm) at bottom.



#### **Stocked Product**

B-293 1830 - 18" x 30"



### *B165 - Series*

#### **CHANNEL-FRAME MIRRORS**

##### **FEATURES**

• One-piece, roll-formed 3/4" x 3/4" (19 x 19mm) angle-frame • Type 304 stainless steel angle with satin finish • Corners heliarc welded, ground and polished smooth • Beveled frame edge at mirror for improved appearance • No. 1 quality, 1/4" (6mm) glass mirror; warranted against silver spoilage for 15 years • Galvanized steel back • Secured to concealed wall hanger with theft-resistant mounting



#### **Stocked Product**

B-165 2436 - 24" x 36"

B-165 1830 - 18" x 30"





## *Bobrick - Washroom Accessories*

### *B221 - Classic Series*

#### **SURFACE MOUNTED SEAT-COVER DISPENSER**

##### **FEATURES**

Satin-finish stainless steel. Dispenses 250 single- or half-fold toilet seat covers. Fills from bottom. Unit 15 3/4" W, 11" H, 2" D (400 x 280 x 50mm). Av. Mtg. Ht.: 45-59" (1145-1500mm) to top of unit, Barrier-Free, 30-48" (760-1220mm). Allow 5" (125mm) minimum clearance from bottom of dispenser to top of any horizontal projection for filling dispenser from below unit.



**Stocked Product**

B-221



### *B2888 - Classic Series*

#### **SURFACE-MOUNTED MULTI-ROLL TOILET TISSUE DISPENSER**

##### **FEATURES**

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Door has flat face with protruding tumbler lock. Holds two rolls up to 5 1/4" (135mm) diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles. Unit 6 1/16" W, 11" H, 5 15/16" D (155 x 280 x 150mm). Av. Mtg. Ht.: 28-36" (710-915mm) to top of unit; Barrier-Free, 28" (710mm).



**Stocked Product**

B-2888



### *B262 - Classic Series*

#### **SURFACE-MOUNTED PAPER TOWEL DISPENSER**

##### **FEATURES**

Satin-finish stainless steel. Dispenses 400 C-fold or 525 multifold towels measuring 3 1/8" to 3 13/16" (79-97mm) deep without adjustment or adapters. Door has tumbler lock and piano-hinge. Cabinet slots indicate refill time. Unit 10 3/4" W, 14" H, 4" D (275 x 355 x 100mm). Av. Mtg. Ht.: 66-70" (1675-1780mm) to top of unit; Barrier-Free, 54" (1370mm).



**Stocked Product**

B-262





## Bobrick - Washroom Accessories

### B264

#### **SINGLE-ROLL TOILET TISSUE DISPENSER WITH CONTROLLED DELIVERY**

##### **FEATURES**

Heavy-gauge chrome-plated steel with bright polished finish. Mounting bracket is 18-gauge (1.2mm). Equipped with a vandalresistant self-locking mechanism and two heavy-duty brake springs. Heavy-duty brake springs provide controlled delivery. Toilet tissue roll will not spin freely. Eliminates waste. Accommodates one standard-core toilet tissue roll up to 4-1/2" (115mm) diameter. Toilet tissue roll cannot be removed from holder until empty.



**Stocked Product**

B-264

### B265

#### **DOUBLE-ROLL TOILET TISSUE DISPENSER WITH CONTROLLED DELIVERY**

##### **FEATURES**

Heavy-gauge chrome-plated steel with bright polished finish. Mounting bracket is 18-gauge (1.2mm). Equipped with vandalresistant self-locking mechanisms and four heavy-duty brake springs. Heavy-duty brake springs provide controlled delivery. Toilet tissue rolls will not spin freely. Eliminates waste. Accommodates two standard-core toilet tissue rolls up to 4-1/2" (115mm) diameter. Toilet tissue rolls cannot be removed from holder until empty.



**Stocked Product**

B-265

### B369 - Classic Series

#### **RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE**

##### **FEATURES**

**Cabinet** -18-8 S, type-304, 22-gauge (0.8mm) stainless steel. All-welded construction. Exposed surfaces have satin finish.

**Flange** -18-8 S, type-304, 22-gauge (0.8mm) stainless steel with satin finish. Drawn and beveled, one-piece, seamless construction.

**Door** -18-8 S, type-304, 22-gauge (0.8mm) stainless steel with satin finish.

Secured to cabinet with a full-length stainless steel piano-hinge. Equipped with a knob latch.

**Paper Towel Dispenser** -18-8 S, type-304, 22-gauge (0.8mm) stainless steel with satin finish.

**Capacity:** 350 C-fold or 475 multifold paper towels.

**Waste Receptacle** -18-8 S, type-304, Heavy-gauge stainless steel with satin finish.

Top edges are hemmed for safe handling. Friction catch.

**Capacity:** 2-gal. (7.6-L).



**Stocked Product**

B-369



## Bobrick – Washroom Accessories

### *B279 - Classic Series*

#### **SURFACE MOUNTED WASTE RECEPTACLE**

##### *FEATURES*

Satin-finish stainless steel. Bottom edges hemmed for safety. Hooks hold furnished reusable vinyl liner; removable for servicing. Capacity: 6.4-gal. (24.2-L). Unit 14" W, 18" H, 6" D (355 x 455 x 150mm).

**Stocked Product**  
B-279

**S**



### *B72974*

#### **SURFACE-MOUNTED PLASTIC, AUTOMATIC, UNIVERSAL ROLL TOWEL DISPENSER**



Introducing Bobrick's new addition to a complete line of Automatic, Universal Roll Towel Dispensers:

**Surface-Mounted Plastic, Automatic Roll Towel Dispenser, Model No. B-72974**

The new Surface-Mounted Plastic Automatic Roll Towel Dispenser is a perfect complement to our stainless steel line of dispensers where budget is a concern, yet the building owner wants to maintain a high level of design, function, and flexibility.

##### *FEATURES*

- Automatic, hygienic, hands free operation.
- Universal roll towel dispenser offers flexibility and freedom from expensive proprietary paper.
- Dispenses universal, 1-1/2" to 2" diameter core, up to 8" diameter, 8" wide, nonperforated, non-proprietary rolls.
- Four paper saving features allow building owner to control cost of paper towels and comply with US EPA Reduce & Reuse Resource Conservation Initiative
- Adjustable towel lengths set at 9", 12", or 15"
- Adjustable time delays on second activation set at 1, 2, or 3 seconds
- Paper Saver Feature with two optional sheet lengths on second activation: 25% or 12.5% shorter
- Stub roll dispensing accommodates up to 3-1/2" diameter stub-roll with automatic transfer to full roll
- Extended 300,000-cycle, 1-year battery life with low battery indicator light; AC adapter available (special order)
- Easy access battery compartment located in the front of cabinet.
- Durable beige body made with high-impact resin plastic and a navy translucent cover that allows view of the paper supply.

**Stocked Product**  
B-72974

### *B3944 - Classic Series*

#### **RECESSED CONVERTIBLE PAPER TOWEL DISPENSER/WASTE RECEPTACLE**

**Stocked Product**  
B-3944

**S**

##### *FEATURES*

Unit includes convertible folded paper towel module and 12-gallon waste receptacle module which can be interchanged with a universal touch-free roll towel module and 18-gallon waste receptacle module, respectively. Cabinet is not replaced when changing modules. Satin-finish stainless steel. Seamless beveled flange. Dispenses 600 C-fold or 800 multifold towels. Removable waste receptacle is locked into cabinet. Receptacle is 8" (205mm) deep with capacity of 12-gal. (45.4-L); extends 4 1/8" (105mm) from wall. Rough Wall Opening: 16" W, 54 3/4" H, 4" min. depth (405 x 1390 x 100mm). Av. Mtg. Ht.: 67-74" to top of unit; Barrier-Free, 601/2".







## Bobrick – Washroom Accessories

### *B822 - Series*

#### **SOAP DISPENSERS**

**Stocked Product**

B-822



#### **FEATURES**

For ease of maintenance and labor savings • Vandal-resistant locking cover and free-turning spout • Corrosion-resistant • Bright-polished spout, cover and escutcheon • High-impact-resistant ABS body and shank • Shatter-resistant polyethylene container • Patented • 34 fl. oz. capacity, 4" spout



B-822

### *B2112 - Classic Series*

#### **SURFACE MOUNTED SOAP DISPENSER**

**Stocked Product**

B-2112



#### **FEATURES**

Horizontal tank is satin-finish stainless steel. Valve dispenses all-purpose hand soaps. Capacity: 40-fl oz (1.2-L). Soap refill window. Concealed wall fastening. Hinged filler-top requires special key to open. Vandal-resistant. Unit 8 1/8" W, 4 3/4" H (205 x 120mm); wall to pushbutton, 3 1/2" (90mm). Universal/Barrier-Free Mtg. Ht.: 47 1/2" (1205mm) to top of unit with pushbutton 44" (1120mm) above floor. Patented.



### *B2111 - Classic Series*

#### **SURFACE MOUNTED SOAP DISPENSER**

**Stocked Product**

B-2111



#### **FEATURES**

Vertical tank is satin-finish stainless steel. Valve dispenses all-purpose hand soaps. Capacity: 40-fl oz (1.2-L). Soap refill window. Concealed wall fastening. Hinged filler-top requires special key to open. Vandal-resistant. Unit 4 3/4" W, 8 1/8" H (120 x 205mm); wall to pushbutton, 3 1/2" (90mm). Universal/Barrier-Free Mtg. Ht.: 50 7/8" (1290mm) to top of unit with pushbutton 44" (1120mm) above floor. Patented.



### *B4112 Contura Series*

#### **SURFACE MOUNTED SOAP DISPENSER**

#### **FEATURES**

Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Container is satin-finish stainless steel. Capacity: 40-fl oz (1.2-L). Soap refill window. Concealed wall fastening. Hinged filler-top requires special key to open. Vandal-resistant. Unit 7" W, 6 1/8" H (180 x 155mm); wall to push-button, 3 5/16" (85mm). Universal/Barrier-Free Mtg. Ht.: 49" (1245mm) to top of unit with push-button 44" (1120mm) above floor.



**Stocked Product**

B-4112





## *Bobrick – Washroom Accessories*

### *B7120 - Series*

#### **SURFACE-MOUNTED HAND DRYER**

##### **FEATURES**

Surface-Mounted Warm-Air Hand Dryers featuring a 4" projection for ADA and barrier-free compliance and low-profile, architectural styling. 70% recycled satin-finish stainless steel (B-7128) or white-coated steel (B-7120) covers with black trim and side panels are available. Features include an optimum balance of fast drying time and a moderate sound level (73 dBA). Dual parallax air flow delivers a broad warm air pattern for a comfortable hand dry. Paper towels are eliminated reducing costs by 95%, operation is energy-efficient. Motor and brushes are warranted for 3 years, all other parts for 10 years.

#### **Stocked Product**

B-7120



### *B4369 - Contura Series*

#### **RECESSED PAPER TOWEL DISPENSER/WASTE RECEPTACLE**

##### **FEATURES**

Satin-finish stainless steel. Flush tumbler lock. Dispenses 350 C-fold or 475 multifold towels. Waste receptacle has 2.6-gal. (9.8-L) capacity; extends 2 1/2" (65mm) from wall. Removable front panel for easy cleaning. Rough Wall Opening: 11 3/8" W, 26 5/8" H, 4" min. depth (290 x 675 x 100mm). Av. Mtg. Ht.: 71" (1805mm) to top of unit; Barrier-Free, 52 3/4" (1340mm).

#### **Stocked Product**

B-4369



### *B43644 - Contura Series*

#### **RECESSED WASTE RECEPTACLE**

##### **FEATURES**

Satin-finish stainless steel. Removable front panel for easy cleaning. Capacity: 11.2-gal. (42.2-L). Rough Wall Opening: 15 7/8" W, 26 1/4" H, 4" min. depth (405 x 665 x 100mm). Universal/Barrier-Free Mtg. Ht.: 43-47" (1090-1195mm) to top of unit.

#### **Stocked Product**

B-43644



### *B4288 - Contura Series*

#### **SURFACE MOUNTED MULTI-ROLL TOILET TISSUE DISPENSER**

##### **FEATURES**

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Flush tumbler lock. Holds two rolls up to 5 1/4" (135mm) diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles. Unit 6 1/16" W, 11" H, 5 15/16" D (155 x 280 x 150mm). Av. Mtg. Ht.: 28-36" (710-915mm) to top of unit; Barrier-Free, 28" (710mm).

#### **Stocked Product**

B-4288







## **Bobrick** – *Washroom Accessories*

### *B4262 - Contura Series*

#### **SURFACE-MOUNTED PAPER TOWEL DISPENSER**

##### **FEATURES**

Satin-finish stainless steel. Tumbler lock on top of cabinet. Door swings down for loading towels. Dispenses 400 C-fold or 525 multifold towels measuring 3 1/8" to 3 13/16" (79–97mm) deep without adjustment or adapter. Furnished with internal towel tray adapter kit for dispensing narrower towels 2 1/2" to 3 1/8" (64–79mm) deep. Cabinet slots indicate refill time. Unit 10 13/16" W, 13 1/4" H, 4 11/16" D (275 x 335 x 120mm).

#### **Stocked Product**

B-4262



### *B4221 - Contura Series*

#### **SURFACE MOUNTED SEAT-COVER DISPENSER**

##### **FEATURES**

Satin-finish stainless steel. Dispenses 250 single- or half-fold toilet seat covers. Fills from bottom. Unit 15 3/4" W, 11 1/4" H, 2 1/16" D (400 x 285 x 55mm). Av. Mtg. Ht.: 45–59" (1145–1500mm) to top of unit, Barrier-Free, 30–48" (760–1220mm). Allow 5" (125mm) minimum clearance from bottom of dispenser to top of any horizontal projection for filling dispenser from below unit.

#### **Stocked Product**

B-4221



### *B270 - Contura Series*

#### **SURFACE MOUNTED SANITARY NAPKIN DISPOSAL**

##### **FEATURES**

Satin-finish stainless steel. Cover is drawn, one-piece construction; secured to cabinet with full-length stainless steel piano-hinge. Capacity: 1.0-gal. (3.8-L). Unit 7 1/2" W, 10" H, 3 13/16" D (190 x 255 x 95mm). Universal/Barrier-Free Mtg. Ht.: 25–30" (635–760mm) to top of unit.

#### **Stocked Product**

B-270

