















MORE SIMPSON DOORS IN STOCK

American Building Supply has one of the largest inventories of Simpson doors in the U.S. What does that mean for you? A greater selection of the nation's most-recognized, highest-quality wood doors, all delivered within 1-2 days by ABS.

Any Simpson door can be ordered in dozens of wood species. ABS makes sure you have a local inventory of Douglas Fir, Knotty Alder and Mahogany doors to meet your needs. And if you need something outside of our local inventory, we'll have that delivered within 5-6 weeks.

1 AVAILABLE IN NORTHERN CALIFORNIA THROUGH OUR SACRAMENTO BRANCH

2 AVAILABLE IN SOUTHERN CALIFORNIA AND ARIZONA THROUGH OUR RIALTO/PHOENIX BRANCHES



MAHOGANY DOORS

All In Stock Okoume Mahogany Doors are 1-3/4" thick and feature %" Clear IG and 1-7/16" Double Hip-Raised Panels.



7501 1 2 With UltraBlock® technology -



1 2 5-year warranty



With UltraBlock® technology -5-year warranty

1 2



1 2 6'8" With UltraBlock® technology -5-year warranty



37506 SDL/ **7506** TDL 1 2 With UltraBlock® technology -5-vear warranty



7803 TDL 1 2 6'8" technology -5-year warranty

KNOTTY ALDER DOORS

All In Stock Knotty Alder Doors are 1-3/4" thick unless otherwise noted



6801 with Angled Mutt 3/4" Clear IG with UltraBlock® technology - 5-year warranty



6841 with Angled Mutt 3/4" Black IG with UltraBlock® technology - 5-year warranty



6931 with Angled Mutt 3/4" Black IG with UltraBlock® technology - 5-year warranty



6962 with Angled Mutt 3/4" Black IG with UltraBlock® technology - 5-vear warranty



6961* with Angled Mutt 3/4" Black IG with UltraBlock® technology



6825 with Angled Mutt 3/4" Black IG with UltraBlock® technology

PLEASE NOTE: We are transitioning our divided lite exterior door with IG inventory from true divided lite (TDL) to simulated divided lite (SDL). Once TDL inventory has been used, you will begin to receive SDL. Contact your ABS representative with questions

^{*} As viewed from exterior of home

KNOTTY ALDER DOORS (continued)



7002
6'8"
3/4" IG
3/4" IG with Low-E
with UltraBlock® technology
- 5-year warranty



7662 TDL 6'8" 1-7/16" Innerbond® DHRP



7663 TDL 6'8" **1** 1-7/16" Innerbond®



78606'8"
3/4" FP with Shaker
Sticking



7260 6'8" 1 3/4" FP with Shaker Sticking



72826'8", 8'0"
1-7/16" Innerbond®
DHRP



74656'8", 8'0"
1-7/16" Innerbond®
DHRP



7465 V-Groove 6'8", 8'0" 1 2 1-7/16" Innerbond® DHRP



82 6'8", 1-3/8" thick 3/4" DHRP



6'8", 8'0", 1-3/8" thick 3/4" DHRP



6'8", 1-3/8" thick 1 2 3/8" FP with Shaker



6'8", 1-3/8" thick 3/8" FP with Shaker Sticking



6'8", 8'0" 1 20-minute Fire Door 1-7/16" DHRP

KNOTTY ALDER BARN DOORS



92656'8", 8'0"
1 2
20-minute Fire Door
1-7/16" DHRP



9265 V-Groove 6'8" 1 2 20-minute Fire Door 1-7/16" V-Groove DHRP



80801 3'0", 3'6" x 7'0", 3'0", 3'6" x 8'4", 1-3/8" thick 3/4" grooved FP with Shaker Sticking



808123'0", 3'6" x 7'0",
3'0", 3'6" x 8'4",
1-3/8" thick 3/4" grooved FP with Shaker Sticking



808153'0", 3'6" x 7'0",
3'0", 3'6" x 8'4",
1-3/8" thick 3/4" grooved FP with Shaker Sticking

CRAFTSMAN COLLECTION

In Douglas Fir. All In-Stock Craftsman Collection Doors are 1-3/4" thick with ovolo sticking and 3/4" flat panel. UltraBlock® technology included – 5-year warranty.



3/4" Clear IG

1 2



6'8" 3/4" Clear IG



6801 with Angled Mutt 6'8" 3/4" Clear IG



36802 SDL 1 2 3/4" Clear IG



36802 Shaker SDL 6'8" 3/4" Clear IG 1



1 2 6'8" 3/4" Clear IG



36803 Shaker SDL 3/4" Clear IG



1 2 6'8" 3/4" Clear IG



36862 SDL 1 2 6'8" 3/4" Clear IG



1 2 6'8" 3/4" Clear IG



6841 6'8" 3/4" Black IG 1



6'8" 3/4" Black IG



6841 with Angled Mutt 3/4" Black IG



6881 1 6'8" 3/4" Black IG



1 6'8" 3/4" Black IG



6931 Shaker 1 6'8" 3/4" Black IG



6931 with Angled Mutt 6'8" 3/4" Black IG



1 6'8" 3/4" Black IG

CRAFTSMAN COLLECTION (continued)



6'8" 3/4" Black IG



6961* Shaker 1 6'8" 3/4" Black IG



6'8" 3/4" Black IG



6'8" 3/4" Black IG

1



6'8" 3/4" Black IG



6'8" 3/4" Black IG

1



6962 with Angled Mutt 6'8" 3/4" Black IG



6983 1 6'8" 3/4" Black IG



6825 6'8" 3/4" Black IG 1



1 6'8" 3/4" Black IG



6825 with Angled Mutt 6'8" 3/4" Black IG



6'8" 3/4" Black IG



6171 6'8" **1**



6175 6'8" **1**



6176* 6'8" **1** 3/4"



6177 6'8" **1**



6184 6'8" **1**



7701 6'8" **1 2** 3/4" Clear IG



9510 Large Tooth Dentil Shelf for Sidelights



* As viewed from exterior of home

BUNGALOW SERIES®

In Douglas Fir. All In Stock Bungalow Series® Doors are 1-3/4" thick with ovolo sticking and 1-7/16" Innerbond® Double Hip-Raised Panel with beaded v-grooves. UltraBlock® technology included — 5-year warranty.



37218 SDL/ **7218** TDL

1 2



37228 SDL/ 7228 TDL



37219 SDL/ 7219 TDL



37217 SDL/ **7217** TDL 6'8"



BUILDER'S ADVANTAGE® SERIES

1 2

In Douglas Fir. All In Stock Builder's Advantage® Doors are 1-3/4" thick with ovolo sticking and 3/4" flat panel. UltraBlock® technology included - 5-year warranty.



6316 Scarborough®
6'8"
3/4" Black IG



6366 Portsmouth® 6'8" 3/4" Black IG



6534 Meridian 6'8" 3/4" Silver IG



6545 1 2 6'8" 1 2



6564 Cambridge 6'8" 3/4" Silver IG



6544 Shelburne[®] 6'8" 3/4" Silver IG

SELECTS SERIES

In Douglas Fir. All Select Series Doors are 1-3/4" thick with ovolo sticking and 1-1/4" Innerbond® Double Hip-Raised Panel. UltraBlock® technology included -5-year warranty.



6574 Exeter® 6545 6'8" 1 6'8" 1 3/4" Silver IG 3/4" Silver IG



4232 St. Tropez II
6'8"

Black Caming
3/4" IG



4243 St. Tropez IV 4233 6'8" 1 6'8" 8lack Caming 8lack C



1V 4233 1 6'8" 1 Black Caming 3/4" IG



4234 Venetia[®] II 6'8" Black Caming



1 4245 Venetia® IV 6'8" 1 Black Caming 3/4" IG



4235 6'8" 1 Black Caming 3/4"IG

PLEASE NOTE: We are transitioning our divided lite exterior door with IG inventory from true divided lite (TDL) to simulated divided lite (SDL). Once TDL inventory has been used, you will begin to receive SDL. Contact your ABS representative with questions.

MASTERMARK® COLLECTION

In Douglas Fir. All Mastermark® Collection Doors are 1-3/4" thick with Innerbond® Double Hip-Raised Panels. UltraBlock® technology included – 5-year warranty.



6'8" 1-1/4" DHRP



4180 Chateau

6'8" 1-1/4" DHRP

1



4102

3'0", 3'6" x 6'8" 1-1/4" DHRP

1



4155 Dresden

3'0", 3'6" x 6'8" 3/4" Black IG



4052

6'8" **1** Black IG

1



4000 Windemere™



6'8" 3/4" Brass IG 1-1/4" DHRP





1

3/4" Beveled IG 1-7/16" DHRP



Beveled IG



6422 Terrace Ridge®

3/4" Black IG



1 6'8" 3/4" Black IG



6464 Venetia®

3/4" Silver IG



6'8" **1** 3/4" Silver IG



6424 Venetia® 6'8" 3/4" Black IG



6425 1

6'8" **1** Black IG



7882 Arezzo Knoll® 6'8"

3/4" Silver IG



7872 Arezzo Grove®

3/4" Silver IG



7873 1 6'8" 1 3/4"

Silver IG



CONTEMPORARY EXTERIOR

In Douglas Fir. All Contemporary Exterior Doors are 1-3/4" thick with shaker sticking.



3/4" White Laminate








DOORS WITHWATERBARRIER® TECHNOLOGY

In Douglas Fir with WaterBarrier® technology - 5-year warranty with no overhang required.









37010 6'8" 3/4" IG with Low-E



8'0" 3/4" IG with Low-E

8'0 **1** 3/4" IG with Low-E

the bottom of the stiles

Composite block material finger-jointed into

EXTERIOR FRENCH & SASH DOORS

In Douglas Fir. All In Stock Exterior French & Sash Doors are 1-3/4" thick with 1-7/16" Innerbond® Double Hip-Raised Panel, unless otherwise noted.



1 1" Clear IG with internal mini blind and raised moulding on exterior with UltraBlock® technology - 5-year warranty



7102

1 1" Clear IG with internal mini blind and raised moulding on exterior with UltraBlock® technology - 5-year warranty







7001

6'8", 8'0" 3/4" Clear IG with UltraBlock® technology - 5-year warranty and Low-E



7701

6'8", 8'0' 1 2 3/4" Clear IG 3/4" Low <u>E</u> 2 1701 SG 1 2



7002

Available with Satin 1 Etch & White Laminate 1 6'8", 7'0", 8'0" 6'8" 3/4" Clear IG 2 6'8" Open with UltraBlock® technolog 1 Low-F 1 2 6'8" in Low-E



7002 Shaker

6'8", 8'0" 1 2 3/4" Clear IG or L 6'8" Open with UltraBlock® technology – 5-year warranty and Low-E



7002 Shaker with Satin Etch

3/4" Satin Etch IG with UltraBlock® technology – 5-year warranty and Low-E



7002 Shaker with White Laminate

3/4" White Laminate IG with UltraBlock® technology - 5-year warranty and Low-E



7002 ADA Compliant

6'8", 7'0" 1 2 3/4" Clear IG 11-3/8" Bottom Rail 6-9/16" Top Rail with UltraBlock® technology - 5-year warranty



7037 ADA Compliant

6'8", 7'0" 3/4" Clear IG 37 SG in 6'8", 7'0"



37010 SDL/ **7010** TDL

3/4" Clear IG with UltraBlock® technology - 5-year



37015 SDL/ **7015** TDL

3/4" Clear IG with UltraBlock® technology - 5-year



37105 SDL/ 7105 TDL

3/4" Clear IG



37705 SDL/ 7705 TDL

6'8" 3/4"



37012 SDL/ 7012 TDL

8'0" 8'0" WLO 1 with UltraBlock® technology - 5-year



37109 SDL/ 7109 TDL

6'8" 3/4" Clear IG 1509 SG



37709 SDL/ 7709 TDL

6'8" 3/4" Clear IG

SG = SINGLE GLAZING | IG = INSULATED GLAZING | SHAKER = SHAKER STICKING



PLEASE NOTE: We are transitioning our divided lite exterior door with IG inventory from true divided lite (TDL) to simulated divided lite (SDL). Once TDL inventory has been used, you will begin to receive SDL. Contact your ABS representative with questions.

EXTERIOR FRENCH & SASH DOORS (continued)



37662 SDL/ **7662** TDL

6'8" 3/4" Clear IG 1662 SG



37663 SDL/ **7663** TDL

6'8" 3/4" Clear IG



37662 Shaker SDL/ 7662 Shaker TDL

6'8" 3/4" Clear IG 3/4" FP



7860

3/4" Clear IG



7260 1 2 6'8" 1 3/4"

3/4" Clear IG 144 SG



37943 SDL/ **7943** TDL

6'8" 3/4" Clear IG

1 2



37944 SDL/ **7944** TDL

6'8" 3/4" Clear IG 944 SG



37444 SDL/ **7444** TDL

3/4" Clear IG

1



2



Shaker SDL/

Shaker TDL

7663

6'8" 3/4"

7031

6'8" 3/4" Clear IG



7702

6'8" 1 3/4"



7044 Dutch Door

3/4" Clear IG



6'8" 3/4" Clear IG 2



37444 SDL/ **7444** TDL

Dutch Door

3/4" Clear IG

2

2

37435 SDL/ **7435** TDL Dutch Door

3/4" Clear IG



37944 SDL/ **7944** TDL Dutch Door

3/4" Clear IG



37035 SDL/ 7035 TDL Dutch Door

3/4" Clear IG



2035

6'8" 1/8" Clear SG



144

6'8" 1/8" Clear SG



444

6'8" 1/8" Clear SG 3/4" DHRP

PLEASE NOTE: We are transitioning our divided lite exterior door with IG inventory from true divided lite (TDL) to simulated divided lite (SDL). Once TDL inventory has been used, you will begin to receive SDL. Contact your ABS representative with questions.

2

2

2

1 2

EXTERIOR FRENCH & SASH DOORS (continued)



944

1 2 1/8" Clear SG 1/8" Clear SG 1-3/8" thick (2'8" only) 3/4" DHRP



1703

6'8" **2** 1/8" Clear SG 3/4" DHRP



644

2 6'8" 1/8" Clear SG 3/4" DHRP



1662

1 2 1/8" Clear SG 3/4" DHRP

TRADITIONAL EXTERIOR DOORS

In Douglas Fir. All In Stock Exterior Traditional Doors are 1-3/4" thick



7465 1-7/16" DHRP

1



37120 SDL

1-7/16" DHRP 3/4" Clear IG



37134 SDL/ **7134** TDL

1-7/16" DHRP 3/4" Clear IG

1



7344

1

1-7/16" DHRP



7130

1 2

1-7/16" DHRP 3'0" x 8'0"





1 2 3/4" or 1-1/4" DHF 1/8" Clear SG



6'8" 3/4" DHRP 1-1/4" DHRP



6'8" 3/4" DHRP 1 2 6'8" - 1-1/4" DHRP



2045 6'8" 3/4" DHRP 1 1/8" Clear SG



6'8", 8'0"

3/4" DHRP 6'8" - 1-1/4" DHRP 1 6'8" - 3/4" DHRP



6'8" 1/8" Clear SG 1-1/4" DHRP 3/4" DHRP



SG = SINGLE GLAZING | IG = INSULATED GLAZING | DHRP = DOUBLE HIP-RAISED PANEL | FP = FLAT PANEL

1 2

20-MINUTE FIRE-RATED DOORS

In Douglas Fir. All In Stock Fire Doors are 1-3/4" thick.



1 20-Minute Fire Door 1-7/16" DHRP



1 20-Minute Fire Door 1-7/16" DHRP



9266 1 2 20-Minute Fire Doc 1-7/16" DHRP



9280 Chateau 1 20-Minute Fire Door 1-7/16" DHRP



1 2 20-Minute Fire D 1-7/16" DHRP



20-Minute Fire Door 3/4" FP



9320 Shaker 6'8" 1 2 20-Minute Fire Door



9382 Shaker 1 2 20-Minute Fire Do



6'8" 20-Minute Fire Do 3/4" FP 1 2



9360 Shaker 1 2 6'8" 20-Minute Fire De



9362 Shaker 6'8" 20-Minute Fire Door 3/4" FP





INTERIOR PANEL DOORS

In Douglas Fir. All In Stock Interior Panel Doors are 1-3/8" thick and carry a 10-year warranty.



6'8" **1 2** 3/8" FP



30 6'8" 3/8" FP

2



6'8" **1** 3/8" FP



82 RP 6'8" 3/4" DHRP



446'8"
3/4" DHRP



6'8" **1** 3/4" DHRP



6'8" **1 2** 3/4" DHRP



66 6'8" 1 2 3/4" DHRP



886'8"
3/4" DHRP



4656'8"
1 2
3/4" DHRP



43 Bifold 6'8" 3/4" DHRP



6'8" 3/4" DHRP



6'8" 1 2 3/4" FP with Shaker Sticking



6'8" 1 2 3/8" FP with Shaker Sticking



7606'8"
1 2
3/8" FP with Shaker
Sticking



6'8" 1 2 3/8" FP with Shaker Sticking



6'8" 1 2 3/8" FP with Shaker Sticking



6'8" 3/8" FP with Shaker Sticking



702 Bifold 6'8" 3/8" FP with Shaker Sticking

SINGLE-GLAZED FRENCH DOORS

In Douglas Fir. All Single-Glazed French Doors are 1-3/8" thick with 1/8" SG, unless otherwise noted.



1501 1 2

6'8", 8'0" 1/8" Clear SG 1-3/8" available 1-3/4" available



1501

6'8" 1/8" White 1 2 Laminate 1/8" Satin Etch SG



1501 Shaker

6'8" 1/8" Clear SG 1-3/8" 1-3/4" Available open

1 2

1 2

2



1501 Shaker

6'8" 1/8" White Laminate SG or 1/8" Satin Etch SG 1



1509

1/8" Clear SG 1-3/8" 1-3/4"



1510

6'8" 1-3/4" and 1-3/8" with 1/8" Clear SG



1515

1/8" Clear SG 1 1 2 1-3/4"



1 2 6'8", 7'0" 1-3/4" thick 1/8" Clear SG



1512

1/8" Clear SG 1-3/8"



1706

2 8'0" **2** 1/8" Clear SG



1 2

1701

6'8" **1 2** 1/8" Clear SG



1703

2 6'8" 1/8" Clear SG



1705

6'8" 2 Clear SG 1-3/4"



6'8" **2** 1/8" Clear SG



1643 Shaker with White Laminate

6'8", 8'0"* 1/8" White Laminate





1645 Shaker with White Laminate 6'8"
1/8" White Laminat



REDI-PRIME® INTERIOR DOORS

All In Stock Redi-Prime® Interior Doors are 1-3/8" thick.



6'8" 3/8" FP

8492 Wheat*

6'8", 8'0" 1/8" Satin Etch SG



6'8" 3/8" FP






6'8", 8'0" 1/8" Satin Etch SG









SIMPSON SPECIAL ORDER AND CONCEPT® CUSTOM DOORS

If you haven't found what you are looking for in this brochure, let your ABS representative help you create a one-of-a-kind door to fit your needs. From species selection to design, ABS and Simpson can guide you through the process of creating a custom door. And you can expect the same great service and attention to detail you'd expect from both.











RIALTO, CA (909) 879-8730 SACRAMENTO, CA (916) 379-4200 PHOENIX, AZ (855) 879-8880









