



30

YEARS OF
BEAUTY & INNOVATION

TABLE OF CONTENTS

About Plastpro.....	1
Plastpro Quality	2-3
Factory Finish	4-7
PF Frames.....	8-11
Specialty Series	12-13
Deco Glass & Solution Frames	14-21

Door Series

■ Limited.....	22-25
■ Modern.....	26-31
■ Craftsman	32-47
■ Rustic	48-59
■ Mahogany.....	60-67
■ Oak.....	68-91
■ Smooth	92-119
■ White Oak	120-129
■ Onelite.....	130-135
■ Nova.....	136-147

Instructions

Stain & Paint Guides.....	148
Testing Information.....	149





ABOUT

Doors are often chosen for their aesthetic qualities; however, their purposes strive beyond simply adding a cohesive look to our homes. They reflect our style, grant privacy, and offer protection for the people we value most in our lives. Our front doors are the gateway for welcoming guests, loved ones, and friends. From ushering us into the start of the day and later welcoming us back, doors are an essential and inviting piece to every house. We want you to choose a door that guarantees security, accommodates your needs, and most importantly, best represents you.

Since 1994, Plastpro has always believed in providing a superior product with the best value, technology and commitment to our customers. We know how important it is to provide quality service and valuable resources to those in the industry. Wood and steel doors were historically preferred in the industry, but both come with long-term problems. Wood doors are susceptible to rot, warp, mildew and weather damage which require extensive maintenance to prevent these issues. Steel doors can be cost effective, but can easily damage, dent, ding, and rust requiring the steel door to be replaced more frequently negating any initial savings. Fortunately, Plastpro's fiberglass doors have become the best modernized solution for these longevity issues. They withstand weather damage, require minimal maintenance, and offer higher performance ratings. Our exclusive HydroShield Technology protects our doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides. Plastpro doors' internal polyurethane foam serves as a strong insulation from the outdoor elements of cold and heat. We are the first company to introduce our signature fiberglass doors with composite stiles and rails, which have twice the screw-holding strength of wood. Plastpro doors feature a full length LVL (Laminated Veneer Lumber) block that provides stronger structural integrity and allows a range of door locks and hardware to be installed for increased security. We also offer our uniquely formulated PF (Polyfiber) Frames as a structurally sound and longer-lasting alternative to traditional door jambs. With both a Plastpro door and PF Frame, you create an impenetrable entryway. Plastpro products have the durability and design to protect any home.


From the beginning, we've been dedicated to providing superior products and supporting our community we serve in. We believe in making a difference in the world by creating authentic, positive change for our employees, customers and communities. We've continuously partnered with Habitat for Humanity to create affordable, green houses for low-income families across the nation. More than 500 doors have been donated from Plastpro to various chapters of Habitat for Humanity and other non-profit organizations. When you buy from Plastpro, not only do you acquire a quality door, you also aid us in giving back to others.




Our exclusive HydroShield Technology protects our doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides. It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew. When paired with our PF (Polyfiber) Door Frames, our doors with HydroShield Technology create an impenetrable entryway.

BACKED BY WARRANTY

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.





1 FIBERGLASS REINFORCED DOOR SKIN

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. We offer many design options, including customizable panel configurations. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. Choose a door skin from a variety of grains that can be painted or stained.

2 FULL-LENGTH COMPOSITE STILES

Our full-length, composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

3 COMPOSITE TOP & BOTTOM RAILS


High-strength, composite top and bottom rails prevent moisture from seeping into the door and prevent the buildup of mold.

4 EXTENDED LOCKBLOCK

Plastpro's full-length LVL allows any type of lock to be placed for increased security. Our 8/0 doors have a steel bar in addition to the LVL to help increase the structure's rigidity.

5 POLYURETHANE FOAM CORE

Our advanced, CFC-free, high-density, polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.



plastpro® OPTIMUM

Factory finished fiberglass doors and jambs. Ready to be part of your home.

A front door is more than a building block for a house, it is the gateway into your life for everyone that passes through it. As such it should represent you in every way possible, especially style. Now with Plastpro Optimum Factory Finished doors and jambs you can get the durability and security of a Plastpro fiberglass door without the hassle of having to paint or stain it yourself. Available in the latest Sherwin-Williams exterior colors and precisely applied with our top-of-the-line new paint system. You can rest easy knowing your home has a Plastpro Optimum door.



PRECISION APPLICATION

State-of-the-art SuperFici Optimum line applies every step of the paint or stain process with robotic accuracy. Precise application in a controlled environment creates consistent and beautiful results at a significantly increased pace even compared to the most seasoned professional. The Optimum line can produce up to 28 doors per hour at full capacity compared to 10-20 doors per week by hand.

WARRANTY

5 Year Warranty on Plastpro Optimum Factory Finished Doors.






3 STEP PROCESS

The paint process for our smooth products currently involves a 3 coat system made up of a base coat, paint, and topcoat. Base coat provides a solid coat that serves as the door's underlying color. Paint is applied using robotics to achieve the desired level of pigmentation. The topcoat finally provides the desired hardness/sheen.



PAINT OPTIONS

POWERED BY  **SHERWIN-WILLIAMS.**



Dover White



Network Gray



Grizzle Gray



Mega Greige



Redend Point



Habanero Chile



Naval



Leapfrog



Georgian Bay



Brittlebush

CUSTOM COLORS AVAILABLE*


Need a specific color? We send your sample to the professionals at Sherwin-Williams to formulate a color match for your order. Never be limited by the standard options again.

*Color match orders must be for 100 doors or more.




STAIN OPTIONS


POWERED BY  **SHERWIN-WILLIAMS.**



Hill Country



Leeward



Yankee Barn



Woodridge




Crossroads



3 STEP PROCESS

The staining process for our wood grain products currently involves a 3 coat system made up of a base coat, stain, and topcoat. Base coat provides a solid coat that serves as the door's underlying color. Stain is brushed along the grain using robotics to give the product a wood-like aesthetic. The topcoat finally provides the desired hardness/sheen.



ONYX pigment permeates the entire door skin meaning it can't be chipped and the durability of fiberglass prevents dents and scratches.



Paint is applied on top of the door skin. If chipped, the paint will need to be touched up to not see the fiberglass beneath.


plastpro[®] **INFINITE FINISH**

Pigmented fiberglass, the color can't chip when it's built into your door.

Enhanced pigmented fiberglass gives you enduring and impactful color without the frequent need for maintenance or painting, the color is literally built into your door. Get the modern aesthetic of your dreams with the contemporary look of a black door with ONYX Infinite Finish in one of Plastpro's Nova 90 models.



A bold, powerful and sophisticated black, ONYX is the elegant choice for contemporary style. Check out the Nova Series to see the current stocking options or contact your rep for special orders.



A crisp, brilliant white, ARCTIC is the perfect choice for neutral aesthetics. Only available by special order, contact your rep for more information.



PF™ DOOR FRAMES

To have a complete entry system, it is important to consider the material of the door frame. Many doors are hung in either wood or steel frames, which are prone to the same problems as the doors themselves. Wood frames can warp, rot, and crack, while steel frames can rust and dent. Repeatedly repairing your door frame is inconvenient, so it is best to use an alternative material.

Plastpro's PF (Polyfiber) Door Frames offer an innovative alternative to traditional door jambs. Our uniquely formulated door frame combines the beauty of wood with the strength of steel. The material is durable, long-lasting, and is more thermally resistant than either wood or metal. The installation of the advanced system is the same as traditional installations. However, when a fiberglass door is used with a PF frame, they create an impenetrable doorway.

FEATURES AND BENEFITS

- Hydro Shield Technology is moisture-resistant and prevents warping, rotting, and splitting.
- Frame is termite-resistant at all points along the structure.
- Has twice the screw holding power of traditional wood door frames.
- More versatility in design. Available in various lengths and widths that can be stained as well as painted.
- Continuous piece with no finger joint and is 25 percent more rigid than wood frames.
- Maintenance free and energy efficient.

FRAME DECAY COMPARISON



PLASTPRO PF™ DOOR FRAME

*with Hydroshield Technology™



TRADITIONAL WOOD FRAME

Susceptible to rotting, warping, and decay

PRODUCT LINE OVERVIEW



4 1/16" DOOR JAMB



4 7/16" DOOR JAMB



6 1/16" DOOR JAMB



6 7/16" DOOR JAMB



5 1/4" DOOR JAMB




7 1/4" DOOR JAMB




1 1/4" x 3" JAMB EXTENSION




WM180 BRICK MOULD



WM176 FL. BRICK MOULD



1" x 2" STUCCO MOULD




NAILING FIN



J-CHANNEL




FLAT CASING



FLAT CASING J-CHANNEL



TRIM BOARDS




TRANSOM SILLS

- 4 1/16"
- 6 1/16"




MULL POSTS

- 1 1/2" x 3 3/16" x 2 1/2"
- 1 1/2" x 4 3/16" x 2 1/2"
- 1" x 3 3/16" x 2"
- 1" x 4 3/16" x 2"




MULL POST COVERS (EXT.)

- 1 1/2" x 1"
- 2" x 1"



MULL POST CAP



STORM DOOR ADAPTERS

- 1" x 2 1/2"
- 1" x 3"




SIDELITE STOPPER



ASTRAGAL

GRAINING CHART



Plastpro's Polyfiber (PF) Door Frames are made of the highest quality, composite material and are available in a variety of grain options that match our doors. For a detailed list of available grains and products, please refer to the chart below.

	OAK GRAIN	FIR GRAIN	MAHOGANY	PRIMED	WHITE CAPPED	PVC - WHITE
4 9/16" DOOR FRAME	●	●	●	●	●	
5 1/4" DOOR FRAME	●			●	●	
6 5/8" DOOR FRAME	●	●	●	●	●	
7 1/4" DOOR FRAME	●			●	●	
WM180 BRICK MOULD	●	●	●	●	●	
WM176 FLORIDA BRICK MOULD	●			●		
1" x 2" STUCCO MOULD				●		
NAILING FIN	●			●	●	
J-CHANNEL	●			●	●	
FLAT CASING	●			●	●	
FLAT CASING J-CHANNEL	●			●	●	
TRIM BOARDS						●
TRANSOM SILLS	●	●	●	●	●	
MULL POSTS	●	●	●		●	
MULL POST COVERS (EXTERIOR)	●	●		●	●	
MULL POST CAP	●					●
STORM DOOR ADAPTERS	●	●	●	●	●	
DOOR FRAME EXTENSIONS	●	●	●	●	●	
SIDELITE STOPPER	●			●		
ASTRAGAL						●





SPECIALTY SERIES

Plastpro's Specialty Series is a selection of fiberglass door models from our standard series that take protection to the next level. These doors have been modified to test and comply with specific safety and performance standards to ensure high-quality results. Our exclusive Specialty Series includes the following models: Fire Rated, Trimmable, HVHZ Impact, Residential ADA, and Commercial ADA. (For Commercial ADA doors, see p.136-141).

Read more about each category available in the series below. Please note the icon that represents each category here. If you see this icon below a model on one of our standard series pages, that means the door is also available as a specialty item. For example, if a model is marked with a flame below, it is available as both a standard and Fire Rated door. Please contact us or look at www.plastproinc.com for Specialty Series sizing, as the specialty models may not be available in every standard model width.

FIRE RATED




Plastpro's Fire Rated doors are made with our fire-resistant composite creating an extremely durable entryway. Our doors are tested and comply with safety and performance standards to withstand fire for a minimum of 20 minutes.

 = 20min option available

Contact us for stock availability on 20 min fire rated doors.

HVHZ IMPACT



Plastpro's High Velocity Hurricane Zone (HVHZ) Impact Doors are created, tested, and certified to meet the most stringent wind and impact code requirements in the nation. Our innovative R&D Department has pioneered a unique, patent-pending process whereby a missile-proof shield is built in to reinforce the door.

 = HVHZ Option Available. Contact us for stock availability.

RESIDENTIAL ADA



Our residential ADA doors are offered in a variety of compliant styles that are specially crafted to meet the needs of all guests. The residential ADA Series features a 10.25" bottom rail that allows for a generously sized kick plate (up to 10" tall) to be installed on a range of our popular doors, in many designs and sizes. Additionally, we can include reinforced blocking through a special order.

 = Residential ADA Option Available. Contact us for stock availability



KENSINGTON • KEN342P

DOORLITE SYSTEMS

Doorlites are an essential, eye-catching piece to every entryway. Their fun and decorative nature sets the stage for the rest of the home and creates a welcoming passage from public space to private abode. Our exclusive glass designs are available in many styles, textures, and opacities that aid in elevating the look and value of your home. Our designs are guaranteed to match your desired privacy preference and style.

The structure and strength of our doorlites is unmatched. Composed of a piece of decorative glass sealed between two pieces of tempered safety glass, Plastpro's doorlites provide exceptional security, soundproofing, and thermal performance. We also can't forget our state-of-the-art Warm Edge spacer system which provides a seal that protects and insulates your door and home for years to come. Unlike other competitors, our metal casing includes a gasket that cushions and protects the glass from chipping, cracking, and rattling during door movement.

INSULATING SYSTEM

All Plastpro Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product, when used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.

FEATURES AND BENEFITS


- Warm-Edge Benefit: Superior silicone foam insulation, low thermal conductivity
- Silicon Foam Features: Excellent UV resistance and extreme temperature performance
- Dual-Seal Performance: Chamfered corners for increased sealant depth
- Tempered Safety Glass for your peace of mind



TrueWARM®
s p a c e r s
Super Spacer®

THERMOSET STRUCTURAL
FOAM CONTAINING NO METAL
WITH INTEGRAL 3A DESICCANT

CHAMFERED CORNER



TEMPERED SAFETY GLASS,
FRONT & BACK

METAL CAMING

HOT MELT BUTYL SEAL


PRE-APPLIED ADVANCED
MULTI-LAYERED VAPOR
BARRIER CONTINUOUS
AT CORNERS

PRESSURE SENSITIVE
ACRYLIC ADHESIVE

*This illustration applies to our triple pane glass only.

GLASS CAMING OPTIONS

Our exclusive glass designs are offered with different caming options to match a variety of hardware finishes.



WROUGHT IRON



PATINA



ZINC

CAMELIA

CAMING: WROUGHT IRON TRANSOM: AVAILABLE



Camelia's wrought iron curves create symmetry, uniformity, and a sense of balance. Against a waterfall textured background, the design gives the exterior of your home a modern and sophisticated charm, while delivering the ultimate level of privacy.


1. Wrought Iron
2. Waterfall Tempered Glass



PRIVACY RATING
INCREASING OBSCURITY ----->

PRISCILLA

CAMING: WROUGHT IRON TRANSOM: AVAILABLE



Priscilla's smooth, swirl design pays tribute to Renaissance style. A combination of wrought iron and bubble glass lend the design a touch of grandeur, which is perfect for adding elegant flair to any home.


1. Wrought Iron
2. Little Bubble Tempered Glass



PRIVACY RATING
INCREASING OBSCURITY ----->

ARTESANO BREEZE

CAMING: ZINC TRANSOM: AVAILABLE



Artesano's subtle hint of amber colored glass creates a warm, welcoming feeling in any home. This arrangement is the ideal balance between a simple pattern and an artful combination of textures.


- | | |
|-------------------------|----------------|
| 1. Clear Hammer (100HS) | 3. Clear Bevel |
| 2. Zinc Caming | 4. Sea Spray |



PRIVACY RATING
INCREASING OBSCURITY ----->

BRENTWOOD

CAMING: ZINC OR PATINA TRANSOM: AVAILABLE



A classically inspired arrangement, our Brentwood glass epitomizes style. With bevel swirls and a bold centerpiece, all outlined by a crystal granite border, Brentwood can be appreciated in any home.


- | | |
|----------------|---------------------------------|
| 1. Baroque | 3. Bright Zinc or Patina Caming |
| 2. Clear Bevel | 4. Granite |



PRIVACY RATING
INCREASING OBSCURITY ----->

CASTILE

CAMING: PATINA TRANSOM: AVAILABLE



Inspired by the historic Spanish kingdom, Castile is an ornate, baroque style glass that balances the intricacy of its centerpiece with a straight-lined, beveled border. Castile is the epitome of modern design.

- 1. Granite
- 2. Baroque
- 3. Patina Caming
- 4. Beveled



PRIVACY RATING
INCREASING OBSCURITY ----->

SOLSTICE

CAMING: PATINA TRANSOM: AVAILABLE



Our Solstice pattern is a beautiful, simple arrangement of frosted glass bordered by patina coming- designed to leave a lasting impression.


- 1. Sable 3.0 MM Outer Border
- 2. Clear Pencil Bevel for Inner Border
- 3. Sable Bevels Center Background
- 4. Patina Caming



PRIVACY RATING
INCREASING OBSCURITY ----->

KENSINGTON

CAMING: PATINA TRANSOM: AVAILABLE



Kensington brings a classic, English charm to any door. A combination of frosted glass and subtle line patterns creates a distinctly beautiful glass.


- 1. 100 Water
- 2. Clear Bevel
- 3. Narrow Reed
- 4. Sandblasted Glass
- 5. Patina Caming



PRIVACY RATING
INCREASING OBSCURITY ----->

SPRING

CAMING: PATINA TRANSOM: AVAILABLE



This chevron pattern arrangement incorporates clean lines and two-toned glass colors. Named for the pale gray, water-like glass texture that gives a sense of renewal reminiscent of spring.

- 1. Light Water
- 2. Clear Chord
- 3. Patina Caming
- 4. Pale Gray Water



PRIVACY RATING
INCREASING OBSCURITY ----->



SOLUTION DOORLITE SERIES


Our Solution Doorlite Series is perfect for those who want a front door that stands out due to its unique features. At Plastpro we are determined to expand the window of opportunity and as a result, we are thrilled to offer multiple sizes and six different glass options to choose from. Create and customize a design that embodies you.

Got a tight schedule? No problem. Our brilliant screwless design saves valuable installation time by eliminating holes and plugs, so you can focus on more important matters throughout your day. The frame also features a patented interlocking joint and compression seal that adheres to the door and creates a powerful compression seal and bond. It safely locks decorative glass in place, while beautifully illuminating and showcasing the features of the glass. We mean it when we emphasize top-notch structure you won't find anywhere else.

We created the Solution Doorlite Series to find the perfect accessory that will seamlessly complement our one-and-only Shaker doors from the Craftsmen Series. This beautiful line is available in a clarifying white or tan textured, vertical, grain pattern meant to add a fine touch to your entryway.

FEATURES AND BENEFITS

- No unsightly plug or screw holes
- Available in white or tan
- Textured, vertical grain pattern
- Matches various architectural styles
- Shaker-style low profile
- Patented frame system
- Built to resist warping
- Easy installation- saves on labor cost



TEXTURED GLASS OPTIONS



CLEAR / LowE



WHITE LAMINATE



SANDBLAST



SABLE




NARROW REED

FRAME OPTIONS



7" x 64" *



22" x 15" *
Divided 3 & 6 Lite Available



22" x 10"



22" x 8"




22" x 3"



8" x 36" *



22" x 36" *




8" x 8"



8" x 6"

* AVAILABLE WITH DECORATIVE GLASS OPTIONS.

FRAME CONFIGURATION EXAMPLES




STAGGERED 5 LITE
8" x 6"



DIAMOND 4 LITE
8" x 8"



STAGGERED 4 LITE
8" x 8"



CENTERED 4 LITE
8" x 8"



STAGGERED 3 LITE
3" x 22"



MODERN 4 LITE
22" x 3"



MODERN 6 LITE
22" x 3"



FOUR LITE
22" x 8"



FIVE LITE
22" x 8"



FOUR LITE
22" x 10"



THREE LITE
22" x 15"



**SINGLE TOP LITE W/
4 LITE BOTTOM**
22" x 15" & 22" x 3"




SINGLE TOP LITE
22" x 15"



SINGLE LITE
7" x 64"



TWIN FULL LITE
7" x 64"



STAGGERED TWIN LITE
8" x 36"



EIGHT LITE
8" x 8"



STACKED 6 LITE
3" x 22"

DOOR COLORS ARE FOR VISUALIZATION PURPOSES ONLY. CHECK WITH YOUR LOCAL DEALER FOR AVAILABILITY



Smooth Series • DRS0080 • 22" x 8" Solution Frame w/ Translucent Glass



ALL DOORS ARE SHOWN PRE-FINISHED

LIMITED SERIES

Luxury and richness are the perfect words that come to mind when describing Plastpro's Limited Series graining. This line adds a whole new meaning to beauty, especially with our Knotty Adler model, which features a rich, grain patterned with knots. Additionally, our Teak model, has earned a spot in being a worldwide favorite for its divine, straight yet occasionally wavy or interlocked grain patterns. Selecting a door that gives a natural luster and deluxe feeling will be effortless and, in turn, you'll be walking away with an entryway you'd have to see to believe.

TEAK GRAIN

KNOTTY ADLER GRAIN

● IN STOCK ● EXTENDED LEAD TIME

6'8"



2'8" • 3'0"

DMT51
Teak

6'8"



3'0"

DRK2B
Knoty Alder



Limited Series • Knotty Alder Door • DRK2B

MODERN TEAK MILAN DOOR



6'8"



2'8" • 3'0"

DMT51

LIMITED SERIES



Limited Series • Knotty Alder Door • DRK2B



KNOTTY ALDER

● TWO PANEL DOOR

6'8"



3'0"

DRK2B

LIMITED SERIES





ALL DOORS ARE SHOWN PRE-FINISHED

MODERN SERIES

There's something special about a clean, minimalistic modern look that magically draws us in, which explains why Plastpro had to launch the compelling Modern Series. An effortless, contemporary door design that makes any home's exterior profoundly refreshing. It all makes sense why this series lies in popular demand. Available in our oak grain and smooth doors, our simple panel details and single patterned glass adds a sharp flare to upscale the look of any home.


OAK GRAIN

SMOOTH

● IN STOCK ● EXTENDED LEAD TIME




DMG46
10" HVHZ




DMG4680
10" HVHZ



DMG51
HVHZ




DMG5180
HVHZ



DMS1L
10"





DMS1R
10" HVHZ




DMS5H
HVHZ

OAK SOUTH BEACH DOOR

MODERN SERIES




OAK NAPOLI DOOR



6'8"

2'6" • 2'8" • 2'10" • 3'0"

DMG51



8'0"

2'8" • 3'0"

DMG5180



MODERN SERIES




SMOOTH BIENVENUE DOOR

MODERN SERIES



GLASS OPTIONS




MODERN GLASS CLOSE UP



SMOOTH INFINITY DOOR

6'8"



3'0"

DMS5H





ALL DOORS ARE SHOWN PRE-FINISHED

CRAFTSMAN SERIES

If you're an old soul who wishes to keep up with the latest trends, The Craftsman Series is certainly your best bet. This series applies the most notable elements from 19th and 20th century architecture by blessing your home with a historical essence while still maintaining its modern appeal. Our traditional styles and flat panels successfully complement our selection of Ovolo profiles, Shaker profiles, and sleek direct glazed options. Don't miss out on the wonderfully crafted Fir and Smooth graining options available in this line as well. Still searching for more? Check out our limited edition Dentil Shelf and Simulated Divided Lights "SDL" Kits that serve as the perfect accessories to perfect an entryway that symbolizes you.

OVOLO - FIR GRAIN

OVOLO - SMOOTH

SHAKER - FIR GRAIN

SHAKER - SMOOTH

● IN STOCK ● EXTENDED LEAD TIME

OVOLO PROFILE



SHAKER PROFILE



FIR OVOLO

DIRECT GLAZED TOP LITE DOOR

CRAFTSMAN SERIES



GLASS OPTIONS



ACCESSORIES

6'8"



ACDSFT2704

DENTIL SHELF

Plastpro's Dentil Shelves add a clean outline to your door while ensuring durability. Our shelves are made of lightweight material, High-Density Polyurethane (HDP) and will not warp, rot or crack. Selecting HDP over traditional wood products is an excellent alternative that is efficient for the long run.

6'8"



6'8" ACSDF23001
8'0" ACSDF23005

6'8"



6'8" ACSDF23002
8'0" ACSDF23006

6'8"



ACSDF23004

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of any entryway. They create a custom look as light shines through the home. This product guarantees easy installation, low-maintenance, and will not rot or absorb moisture.

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

CRAFTSMAN SERIES



Craftsman Series • DRF3C • Glass L000 • ACSDF23002 • SLF3C • Glass L000 • ACSDF23004

SMOOTH OVOLO DIRECT GLAZED TOP LITE DOOR

CRAFTSMAN SERIES



GLASS OPTIONS



ACCESSORIES

6'8"



ACDSSW2704

6'8"



ACDSSW2716

DENTIL SHELF

Plastpro's Dentil Shelves add a clean outline to your door while ensuring durability. Our shelves are made of lightweight material, High-Density Polyurethane (HDP) and will not warp, rot or crack. Selecting HDP over traditional wood products is an excellent alternative that is efficient for the long run.

6'8"



6'8" ACSDW23005
8'0" ACSDW23001

6'8"



6'8" ACSDW23006
8'0" ACSDW23002

6'8"



ACSDW23004

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of any entryway. They create a custom look as light shines through the home. This product guarantees easy installation, low-maintenance, and will not rot or absorb moisture.

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

CRAFTSMAN SERIES



FIR SHAKER ONE PANEL DOOR

CRAFTSMAN SERIES



DRF1K



FIR SHAKER TWO PANEL DOOR

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.



DRF2K




22"X36"HALFLITE
Solution Frame*

FIR SHAKER

THREE PANEL CRAFTSMAN DOOR



*GLASS OPTIONS VIA SOLUTION FRAME
 - SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.



FIR SHAKER

DIRECT GLAZED TOP LITE DOOR

CRAFTSMAN SERIES



DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.



SIMULATED DIVIDED LIGHTS "SDL" BARS


Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

FIR SHAKER THREE PANEL STACK DOOR



*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.



10" BOTTOM RAIL

FIR SHAKER FIVE PANEL STACK DOOR

CRAFTSMAN SERIES

6'8"



2'8" • 2'10" • 3'0"

DRF50



*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.

6'8"



**22" x 8" 1 LITE
5 PANEL**
Solution Frame*

6'8"



**22" x 8" 2 LITE
5 PANEL**
Solution Frame*

6'8"



**22" x 8" 5 LITE
5 PANEL**
Solution Frame*

SMOOTH SHAKER ONE PANEL DOOR



SMOOTH SHAKER TWO PANEL DOOR



*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.




SMOOTH SHAKER THREE PANEL CRAFTSMAN DOOR


CRAFTSMAN SERIES



*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.



SMOOTH SHAKER DIRECT GLAZED TOP LITE DOOR



DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.



SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

SMOOTH SHAKER THREE PANEL STACK DOOR

CRAFTSMAN SERIES

6'8"



2'8" • 2'10" • 3'0"

DRS3J



*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.

6'8"



22" x 15"
Solution Frame*

6'8"



22" x 15" 3 LITE
Solution Frame*

6'8"



22" x 15" 6 LITE
Solution Frame*

6'8"



BRE2215P
Solution Frame

6'8"



SOL2215P
Solution Frame

6'8"



SPR2215P
Solution Frame

SMOOTH SHAKER FIVE PANEL STACK DOOR



DR550


*GLASS OPTIONS VIA SOLUTION FRAME
 - SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.



22" x 8" 1 LITE
 5 PANEL
 Solution Frame*



22" x 8" 2 LITE
 5 PANEL
 Solution Frame*



ALL DOORS ARE SHOWN PRE-FINISHED

RUSTIC SERIES

Hold your horses everyone, because you've got to see the breathtaking countrylike doors that Plastpro's Rustic Series has to offer. This series is far from ordinary. Its distinct panel details, beautifully crafted vertical planks, and arched and radius tops deliver a warm and homey sensation to any entryway. Our Rustic Doors' dark and smooth features also add a touch of modernness while embracing sweet southern hospitality. For those wanting to magnify the vintage look, this series also includes a line of wrought iron accessories for further customization, one can't help but observe.

RUSTIC GRAIN


● IN STOCK ● EXTENDED LEAD TIME



DOOR OVERVIEW

TRUE PLANK DOOR

RUSTIC SERIES



DRATP



DRATP70




DRATP80



ONE PANEL DOOR

ARCH PLANK & SQUARE TOP

8'0"



3'10" • 3'6"

DRA1A80



RUSTIC SERIES



ONE PANEL DOOR

SQUARE PLANK & SQUARE TOP



RUSTIC SERIES



TWO PANEL DOOR

ARCH PLANK & SQUARE TOP



HALF LITE			
Code	Glass Size	Width	Height
344	24.125" x 38"	3'0"	6'8"

HALF ARCH LITE			
Code	Glass Size	Width	Height
3R4	24.125" x 38"	3'0"	6'8"
3R5	25.375" x 50.25"	3'0"	8'0"
3R6	29.375" x 50.25"	3'6"	8'0"

FULL LITE			
Code	Glass Size	Width	Height
FL2	8" x 80"	1'0" 1'2"	8'0"

GLASS OPTIONS



RUSTIC SERIES

TWO PANEL DOOR

SQUARE PANEL & SQUARE TOP

RUSTIC SERIES



DRA2B

SLA2B

GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
344	24.125" x 38"	3'0"	6'8"

FULL LITE			
Code	Glass Size	Width	Height
FL1	7" x 64"	1'0" 1'2"	6'8"



CAMELIA

PRISCILLA

TWO PANEL DOOR

ARCH PANEL & SQUARE TOP

RUSTIC SERIES

6'8"

3'0" • 3'6"



DRA2D



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
344	24.125" x 38"	3'0"	6'8"

HALF ARCH LITE			
Code	Glass Size	Width	Height
3R4	24.125" x 38"	3'0"	6'8"

6'8"



CAMELIA

6'8"



6'8"



PRISCILLA

6'8"



TWO PANEL DOOR

SQUARE PLANK & SQUARE TOP

RUSTIC SERIES

8'0"



3'0" • 3'6"

DRA2P80



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL6	25.5" x 50"	3'0"	8'0"
346	29.375" x 50.25"	3'6"	8'0"

8'0"



CAMELIA

8'0"



PRISCILLA

TWO PANEL DOOR

RADIUS PANEL & SQUARE TOP

8'0"



3'0"

DRA2R80

RUSTIC SERIES



RUSTIC SERIES ACCESSORIES

1.5" Square



ACCLP12Q

1.25" Square




ACCLP14Q

DECORATIVE CLAVOS

Plastpro's Clavos add detail and style to one of our Rustic Series Doors. With your choice of Large Square Clavos, Large Round Clavos, Small Square Clavos, or Small Round Clavos, there are plenty of bold and subtle options to heighten the rural sentiment and charm of a plank door.

1.5" Round



ACCLP12R

1.25" Round




ACCLP14R

FEATURES AND BENEFITS

- Easy to Apply
- Unique Adhesive Formatted for Fiberglass Doors
- Masterfully Crafted Premium Metal Alloy
- Tough and Durable Powder Coat Finish


RUSTIC SERIES

6'8"




DRA1P
ACCLP14Q

8'0"



DRA1P80
ACCLP14Q

8'0"



DRA1A80
ACCLP12Q

Industrial Speakeasy

Open Speakeasy



ACCSPKY0910KIT



ACCSPKYG5B0KIT

SPEAKEASY & HINGE STRAP

The Open Speakeasy adds an eclectic, but polished, touch to a Plastpro Rustic Series door. Meanwhile, the Industrial Speakeasy takes you back in time to Prohibition days, with an ornate, grill design that adds extra charm and individuality. The wrought iron bars offer a simple, custom detail while presenting a bold focal point.

Plastpro's Hinge Straps are a simple and unique way to give your Rustic Series door an additional splash of character. Our straps are elite when it comes to providing style and top-tier quality to your home. The durable, aluminum material is resistant to rust and discoloration, keeping the bold, black pop of detail intact.

18" Hinge Straps



ACCHGSTP18

FEATURES AND BENEFITS

- Durable Powder Coat Finish
- Combats Rust and Discoloration
- Beautifully Textured
- Masterfully Handcrafted

View In

6'8"



DRA2D
ACCSPKY0910KIT

View Out

8'0"



DRA2R80
ACCHGSTP18
ACCSPKY0910KIT

View In

6'8"



DRA2D
ACCSPKYG5B0KIT

View Out

8'0"



DRA2R80
ACCHGSTP18
ACCSPKYG5B0KIT



ALL DOORS ARE SHOWN PRE-FINISHED

MAHOGANY SERIES

The Mahogany Series seamlessly blends red and brown tones to sculpt a beloved, wood texture that is irresistible to the eye. This series effortlessly embodies traditional, timeless styles that are made to radiate beauty and elegance throughout your home. Our perfectly crafted wood panels can be paired with any of our decorative glass options which explains why these fiberglass doors are a hot commodity. This line is also compatible with any layout you desire, giving you the freedom to transform your home into your masterpiece.

MAHOGANY GRAIN

● IN STOCK ● EXTENDED LEAD TIME



DRM3D



DRM40



DRM41



DRM60



DRM6080

DOOR OVERVIEW

THREE PANEL DELUXE DOOR

MAHOOGANY SERIES



GLASS OPTIONS

3/4 OVAL LITE			
Code	Glass Size	Width	Height
3V2	16.78" x 38.72"	3'0"	6'8"
3V1	7" x 39.5"	1'0" & 1'2"	6'8"



BRENTWOOD



CASTILE



MAHOGANY SERIES

Mahogany Series • DRM3D • Glass BRE3V2P

FOUR PANEL BLANK TOP DOOR

MAHOOGANY SERIES



HALF ROUND LITE			
Code	Glass Size	Width	Height
HR1	22" x 10"	2'6" 2'8" 2'10" 3'0"	6'8"

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
HL2	8" x 36"	1'0" & 1'2"	6'8"

FULL LITE			
Code	Glass Size	Width	Height
FL5	20" x 64"	2'6"	6'8"
FL7	22" x 64"	2'8" 2'10" 3'0"	6'8"
FL1	7" x 64"	1'0" 1'2"	6'8"

GLASS OPTIONS





6'8"

6'8"

6'8"

6'8"



SOLSTICE

6'8"

6'8"

6'8"

6'8"



SPRING



MAHOGANY SERIES

Mahogany Series • DRM40 • BREHL4Z

TRUE FOUR PANEL DOOR



6'8"



3'6"

DRM41

MAHOGANY SERIES



Mahogany Series • DRM60



SIX PANEL DOOR



GLASS OPTIONS

TOP LITE			
Code	Glass Size	Width	Height
TL1	25.25" x 8.25"	3'0"	6'8"

HALF LITE			
Code	Glass Size	Width	Height
HL2	8" x 36"	1'0" 1'2"	6'8"



ARTESANO BREEZE

SPRING

HALF LITE			
Code	Glass Size	Width	Height
346	29.375" x 50.25"	3'6"	8'0"

FULL LITE			
Code	Glass Size	Width	Height
FL2	8" x 80"	1'0" 1'2"	8'0"



CAMELIA

PRISCILLA



ALL DOORS ARE SHOWN PRE-FINISHED

OAK SERIES

You can't go wrong selecting a door from Plastpro's most popular and finest series; The Oak Series. The rich, grain texture and intricate wood carvings deliver a classic look that all loved ones and guests will be infatuated by. The only thing stronger than the Oak grains door resistance is its magnetism and variability. We have many panel designs available so you can mix and match the Oak Series with our entire glass line to find the right, custom combination. Our Oak doors create a suitable look designed for any entryway and will never go out of style.

OAK GRAIN

● IN STOCK ● EXTENDED LEAD TIME



DRG00




DRG0070




DRG0080




DRG20



DRG29 DRG2980
 



DRG3E



DRG3P



DRG3080




DRG31



DRG40




DRG41




DRG4170




DRG4180



DRG49



DRG6C



DRG60 DRG6080
 



DRG61




DRG6170
 



DRG6180




DRG63



DRG80 DRG8080




DRG90



DRG9180






FLUSH PANEL DOOR


OAK SERIES



GLASS OPTIONS

FULL LITE			
Code	Glass Size	Width	Height
FL5	20" x 64"	2'6"	6'8" & 7'0"
FL7	22" x 64"	2'8" 2'10" 3'0"	6'8" & 7'0"
FL6	20" x 80"	2'6"	8'0"
FL8	22" x 80"	2'8" 2'10" 3'0"	8'0"
FL1	7" x 64"	1'0" 1'2"	6'8" & 7'0"
FL2	8" x 80"	1'0" 1'2"	8'0"





KENSINGTON

SOLSTICE

SPRING



Oak Series • DRG0080 • Glass ARZFL7Z

3/4 HERITAGE DOOR

OAK SERIES



GLASS OPTIONS

3/4 OVAL LITE			
Code	Glass Size	Width	Height
3V2	16.78" x 38.72"	3'0"	6'8"

3/4 LITE			
Code	Glass Size	Width	Height
343	25" x 48"	3'0"	6'8"
341	8" x 48"	1'0" & 1'2"	6'8"





3/4 TWO PANEL DOOR



GLASS OPTIONS

3/4 LITE			
Code	Glass Size	Width	Height
342	22" x 48"	2'8" 2'10" 3'0"	6'8"
FL7	22" x 64"	2'8" 2'10" 3'0"	8'0"
341	8" x 48"	1'0" 1'2"	6'8"
FL1	7" x 64"	1'0" 1'2"	8'0"



3/4 TWO PANEL DOOR CONT.



SPRING

OAK SERIES



Oak Series • DRG2980

3/4 ELITE DOOR



GLASS OPTIONS

3/4 OVAL LITE			
Code	Glass Size	Width	Height
3V2	16.78" x 38.72"	3'0"	6'8"

3/4 LITE			
Code	Glass Size	Width	Height
343	25" x 48"	3'0"	6'8"
341	8" x 48"	1'0" & 1'2"	6'8"



BRENTWOOD



CASTILE

3/4 PREMIUM DOOR

OAK SERIES



GLASS OPTIONS

3/4 OVAL LITE			
Code	Glass Size	Width	Height
3V2	16.78" x 38.72"	3'0"	6'8"
3V1	7" x 39.5"	1'0" & 1'2"	6'8"



BRENTWOOD



CASTILE

3/4 PANEL DOOR



GLASS OPTIONS

3/4 OVAL LITE			
Code	Glass Size	Width	Height
3V3	13" x 53"	2'8" 2'10" 3'0"	8'0"

3/4 LITE			
Code	Glass Size	Width	Height
FL7	22" x 64"	2'8" 2'10" 3'0"	8'0"

FL1	7" x 64"	1'0" & 1'2"	8'0"
-----	----------	-------------	------



THREE PANEL DOOR

OAK SERIES

6'8"



3'0"

DRG31

GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	3'0"	6'8"

6'8"



ARTESANO BREEZE

6'8"



BRENTWOOD

6'8"



CASTILE

6'8"



KENSINGTON

6'8"



SOLSTICE

6'8"



SPRING

FOUR PANEL BLANK TOP DOOR



GLASS OPTIONS

HALF ROUND LITE			
Code	Glass Size	Width	Height
HR1	22" x 10"	2'6" 2'8" 2'10" 3'0"	6'8"

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
HL2	8" x 36"	1'0" & 1'2"	6'8"




TRUE FOUR PANEL DOOR


OAK SERIES



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8" & 7'0"
342	22" x 48"	2'8" 3'0"	8'0"
HL2	8" x 36"	1'0" 1'2"	6'8"
341	8" x 48"	1'0" 1'2"	8'0"





SOLSTICE

SPRING



OAK SERIES

Oak Series • DRG41

3/4 FOUR PANEL DOOR

OAK SERIES



GLASS OPTIONS

3/4 LITE			
Code	Glass Size	Width	Height
342	22" x 48"	2'8" 3'0"	6'8"
341	8" x 48"	1'0" 1'2"	6'8"





OAK SERIES

Oak Series • DRG6C

SIX PANEL CRAFTSMAN DOOR

OAK SERIES



GLASS OPTIONS

6'8"



ARTESANO BREEZE

6'8"



BRENTWOOD

6'8"



SOLSTICE


6'8"



SPRING

TOP LITE			
Code	Glass Size	Width	Height
TL3	25" x 15"	3'0"	6'8"

ACCESSORIES



DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

4 Block Dentil Shelf



ACDSGT2704

FEATURES AND BENEFITS

- Recreate Classic Design
- Create Custom Looks
- Affordable

SIX PANEL DOOR



GLASS OPTIONS

TOP LITE			
Code	Glass Size	Width	Height
TL5	20" x 8.25"	2'6"	6'8"
TL1	25.25" x 8.25"	3'0"	6'8"

FULL LITE			
Code	Glass Size	Width	Height
FL1	7" x 64"	1'0" 1'2"	6'8"



HALF LITE			
Code	Glass Size	Width	Height
HL6	20.25" x 50"	3'0"	8'0"
346	29.375" x 50.25"	3'6"	8'0"
341	8" x 48"	1'0" 1'2"	8'0"



SIX PANEL UTILITY DOOR

OAK SERIES



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8" & 7'0"
342	22" x 48"	2'8" 2'10" 3'0"	8'0"
HL2	8" x 36"	1'0" 1'2"	6'8" & 7'0"




ARTESANO BREEZE



BRENTWOOD




CASTILE



KENSINGTON



SOLSTICE



SPRING



OAK SERIES

Oak Series • DRG6170 • BREHL4Z

TRUE SIX PANEL NARROW DOOR

OAK SERIES



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
HL2	8" x 36"	1'0" 1'2"	6'8"



EIGHT PANEL DOOR



GLASS OPTIONS

CENTER ARCH LITE			
Code	Glass Size	Width	Height
8C2	9.75" x 41"	3'0"	6'8"
8C3	9.5" x 57.25"	3'0"	8'0"
8C1	8" x 41"	1'0" 1'2"	6'8"



NINE PANEL DOOR

OAK SERIES

6'8"



2'8" • 3'0"

DRG90

GLASS OPTIONS

CENTER LITE			
Code	Glass Size	Width	Height
9P1	9.5" x 18.5"	2'8" 3'0"	6'8"

6'8"



BRENTWOOD

6'8"



SPRING

NINE PANEL DOOR

8'0"



3'0" • 3'6"

DRG9180

GLASS OPTIONS

CENTER LITE			
Code	Glass Size	Width	Height
341	8" x 48"	2'8" 3'0"	8'0"

8'0"



ARTESANO BREEZE

8'0"



BRENTWOOD

8'0"



CASTILE

8'0"



KENSINGTON

8'0"



SOLSTICE

8'0"



SPRING




ALL DOORS ARE SHOWN PRE-FINISHED

SMOOTH SERIES

We need some appreciation for our natural beauties out there, and Plastpro is here to give it, specifically with our glorious Smooth Series. These doors are made with a pre-pigmented, white skin; its polished look accentuates a one-of-a-kind simplicity to any entryway. Our smooth skin incorporates a variety of panel designs and glass options which allows you to add spice to your door while still accomplishing a clean minimal look. Additionally, this series can be painted giving you the opportunity to create a door that exemplifies the real you.

SMOOTH FINISH

● IN STOCK ● EXTENDED LEAD TIME



DRS500



DRS00070



DRS00080




DRS52B




DRS52D



DRS52D80



DRS52G



DRS52G80



DRS520



DRS522



DRS52270



DRS52280



DRS529



DRS52980



DRS53E



DRS53P



DRS53080



DRS531



DRS540



DRS541



DRS4170



DRS4180



DRS542



DRS549

DOOR OVERVIEW

<p>6'8"</p>  <p>3'0"</p> <p>DR56B</p> 	<p>6'8"</p>  <p>3'0"</p> <p>DR56C</p>	<p>6'8"</p>  <p>2'6" • 3'0"</p> <p>DR560</p> 	<p>8'0"</p>  <p>2'6" • 2'8" • 3'0"</p> <p>DR56080</p> 	<p>6'8"</p>  <p>2'8" • 2'10" • 3'0"</p> <p>DR561</p> 	<p>7'0"</p>  <p>2'8" • 2'10" • 3'0"</p> <p>DR56170</p> 
<p>8'0"</p>  <p>2'8" • 2'10" • 3'0"</p> <p>DR56180</p> 	<p>6'8"</p>  <p>2'8" • 2'10" • 3'0"</p> <p>DR563</p> 	<p>6'8"</p>  <p>3'0"</p> <p>DR580</p>	<p>6'8"</p>  <p>2'8" • 3'0"</p> <p>DR590</p>		




SMOOTH SERIES

Smooth Series • DRS31






FLUSH PANEL DOOR


SMOOTH SERIES




GLASS OPTIONS

FULL LITE			
Code	Glass Size	Width	Height
FL5	20" x 64"	2'6"	6'8" & 7'0"
FL7	22" x 64"	2'8" 2'10" 3'0"	6'8" & 7'0"
FL6	20" x 80"	2'6"	8'0"
FL8	22" x 80"	2'8" 2'10" 3'0"	8'0"
FL1	7" x 64"	1'0" 1'2"	6'8" & 7'0"
FL2	8" x 80"	1'0" 1'2"	8'0"






KENSINGTON



SOLSTICE



SPRING



SMOOTH SERIES

Smooth Series • DRS0080 • Glass KENFL8

TWO PANEL DOOR

SQUARE PANEL & SQUARE TOP

SMOOTH SERIES



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
HL2	8" x 36"	1'0" 1'2"	6'8"



TWO PANEL DOOR

SQUARE PANEL & ARCH TOP

SMOOTH SERIES



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
342	22" x 48"	2'8" 3'0"	8'0"
HL2	8" x 36"	1'0" 1'2"	6'8"
341	8" x 48"	1'0" 1'2"	8'0"




COTTAGE TWO PANEL DOOR

SMOOTH SERIES



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
342	22" x 48"	2'8" 3'0"	8'0"
HL2	8" x 36"	1'0" 1'2"	6'8"
341	8" x 48"	1'0" 1'2"	8'0"



SMOOTH SERIES



3/4 HERITAGE DOOR



GLASS OPTIONS

3/4 OVAL LITE			
Code	Glass Size	Width	Height
3V2	16.78" x 38.72"	3'0"	6'8"

3/4 LITE			
Code	Glass Size	Width	Height
343	25" x 48"	3'0"	6'8"
341	8" x 48"	1'0" & 1'2"	6'8"



BRENTWOOD



CASTILE

TWO PANEL DOOR


SQUARE PANEL & SQUARE TOP

SMOOTH SERIES



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8" & 7'0"
342	22" x 48"	2'8" 3'0"	8'0"




3/4 TWO PANEL DOOR




GLASS OPTIONS


3/4 LITE			
Code	Glass Size	Width	Height
342	22" x 48"	2'8" 2'10" 3'0"	6'8"
FL7	22" x 64"	2'8" 2'10" 3'0"	8'0"
341	8" x 48"	1'0" 1'2"	6'8"
FL1	7" x 64"	1'0" 1'2"	8'0"



CAMELIA



PRISCILLA



ARTESANO BREEZE



BRENTWOOD



CASTILE




KENSINGTON



SOLSTICE

3/4 TWO PANEL DOOR CONT.



SPRING



Smooth Series • DRS29

3/4 ELITE DOOR



GLASS OPTIONS

3/4 OVAL LITE			
Code	Glass Size	Width	Height
3V2	16.78" x 38.72"	3'0"	6'8"

3/4 LITE			
Code	Glass Size	Width	Height
343	25" x 48"	3'0"	6'8"
341	8" x 48"	1'0" & 1'2"	6'8"



BRENTWOOD



CASTILE

3/4 PREMIUM DOOR

SMOOTH SERIES



GLASS OPTIONS

3/4 OVAL LITE			
Code	Glass Size	Width	Height
3V2	16.78" x 38.72"	3'0"	6'8"
3V1	7" x 39.5"	1'0" & 1'2"	6'8"



BRENTWOOD



CASTILE

3/4 PANEL DOOR




GLASS OPTIONS

3/4 OVAL LITE			
Code	Glass Size	Width	Height
3V3	13" x 53"	2'8" 2'10" 3'0"	8'0"

3/4 LITE			
Code	Glass Size	Width	Height
FL7	22" x 64"	2'8" 2'10" 3'0"	8'0"

FL1	7" x 64"	1'0" & 1'2"	8'0"
-----	----------	-------------	------



THREE PANEL DOOR

SMOOTH SERIES



DRS31

GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	3'0"	6'8"



ARTESANO BREEZE



BRENTWOOD



CASTILE



KENSINGTON




SOLSTICE



SPRING

FOUR PANEL BLANK TOP DOOR



DRS40
DRS42 (2'6" only,
No matching sidelite)

SLS60

GLASS OPTIONS

HALF ROUND LITE			
Code	Glass Size	Width	Height
HR1	22" x 10"	2'6" 2'8" 2'10" 3'0"	6'8"

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
HL2	8" x 36"	1'0" & 1'2"	6'8"



KENSINGTON

SOLSTICE

SPRING

TRUE FOUR PANEL DOOR


SMOOTH SERIES



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8" & 7'0"
342	22" x 48"	2'8" 3'0"	8'0"
HL2	8" x 36"	1'0" 1'2"	6'8"
341	8" x 48"	1'0" 1'2"	8'0"





SOLSTICE

SPRING



SMOOTH SERIES

Smooth Series • DRS41 • Glass KENHL4P

3/4 FOUR PANEL DOOR

SMOOTH SERIES



GLASS OPTIONS

3/4 LITE			
Code	Glass Size	Width	Height
342	22" x 48"	2'8" 3'0"	6'8"
341	8" x 48"	1'0" 1'2"	6'8"



SIX PANEL CRAFTSMAN DOOR

GLASS OPTIONS

6'8"



ARTESANO BREEZE

6'8"



BRENTWOOD

TOP LITE			
Code	Glass Size	Width	Height
TL3	25" x 15"	3'0"	6'8"

6'8"



DR56C

3'0"

6'8"



SOLSTICE

6'8"



SPRING

ACCESSORIES



DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

FEATURES AND BENEFITS

- Mimic Classic Design
- Create Custom Looks
- Affordable

4 Block Dentil Shelf



ACDSSW2704

16 Block Dentil Shelf



ACDSSW2716

SIX PANEL DOOR

SMOOTH SERIES



GLASS OPTIONS

TOP LITE			
Code	Glass Size	Width	Height
TL5	20" x 8.25"	2'6"	6'8"
TL1	25.25" x 8.25"	3'0"	6'8"

FULL LITE			
Code	Glass Size	Width	Height
FL1	7" x 64"	1'0" 1'2"	6'8"



HALF LITE			
Code	Glass Size	Width	Height
HL6	20.25" x 50"	3'0"	8'0"
346	29.375" x 50.25"	3'6"	8'0"
341	8" x 48"	1'0" 1'2"	8'0"



SIX PANEL UTILITY DOOR



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8" & 7'0"
342	22" x 48"	2'8" 2'10" 3'0"	8'0"
HL2	8" x 36"	1'0" 1'2"	6'8" & 7'0"




ARTESANO BREEZE




BRENTWOOD



CASTILE




KENSINGTON



SOLSTICE

SIX PANEL UTILITY DOOR CONT.



SPRING

SMOOTH SERIES




Smooth Series • DRS61

TRUE SIX PANEL NARROW DOOR



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
HL2	8" x 36"	1'0" 1'2"	6'8"



EIGHT PANEL DOOR

SMOOTH SERIES



6'8"

3'0"

DR580

GLASS OPTIONS

CENTER ARCH LITE			
Code	Glass Size	Width	Height
8C2	9.75" x 41"	3'0"	6'8"

6'8"



CAMELIA

6'8"



PRISCILLA

6'8"



ARTESANO BREEZE

6'8"



BRENTWOOD

NINE PANEL DOOR



GLASS OPTIONS

CENTER LITE			
Code	Glass Size	Width	Height
9P1	9.5" x 18.5"	2'8" 3'0"	6'8"





ALL DOORS ARE SHOWN PRE-FINISHED

WHITE OAK SERIES

Can't decide between our classic Oak series and suave Smooth series? Plastpro figured, and as a result, we've created our exclusive White Oak Series. An immaculate line that encapsulates the finest features from our Smooth and Oak doors to deliver a top-notch entryway. Any home can enjoy an intricate oak texture coated in a pristine, pre-pigmented white skin. Finally, to help solidify your decision, Plastpro offers plentiful decorative glass options that'll turn this dreamy look into reality. The White Oak Series is the definition of the best of both worlds.

WHITE OAK GRAIN

● IN STOCK ● EXTENDED LEAD TIME



DOOR OVERVIEW



DRV00



DRV40



DRV41



DRV60



DRW6080



DRV61



DRV63




FLUSH PANEL DOOR

WHITE OAK SERIES



GLASS OPTIONS

FULL LITE			
Code	Glass Size	Width	Height
FL5	20" x 64"	2'6"	6'8"
FL7	22" x 64"	2'8" 2'10" 3'0"	6'8"
FL1	7" x 64"	1'0" 1'2"	6'8"





WHITE OAK SERIES

White Oak Series • DRV00 • Glass BREFL7P

FOUR PANEL BLANK TOP DOOR

WHITE OAK SERIES



GLASS OPTIONS

HALF ROUND LITE			
Code	Glass Size	Width	Height
HR1	22" x 10"	2'6" 2'8" 2'10" 3'0"	6'8"

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
HL2	8" x 36"	1'0" & 1'2"	6'8"





WHITE OAK SERIES

White Oak Series • DRV40 • SLV60 • Castile Deco Glass


TRUE FOUR PANEL DOOR

WHITE OAK SERIES



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
HL2	8" x 36"	1'0" 1'2"	6'8"



SIX PANEL DOOR



GLASS OPTIONS

TOP LITE			
Code	Glass Size	Width	Height
TL1	25.25" x 8.25"	3'0"	6'8"

FULL LITE			
Code	Glass Size	Width	Height
FL1	7" x 64"	1'0" 1'2"	6'8"



HALF LITE			
Code	Glass Size	Width	Height
HL6	20.25" x 50"	3'0"	8'0"


SIX PANEL UTILITY DOOR

WHITE OAK SERIES



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
HL2	8" x 36"	1'0" 1'2"	6'8"




TRUE SIX PANEL NARROW DOOR



GLASS OPTIONS

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
HL2	8" x 36"	1'0" 1'2"	6'8"





ALL DOORS ARE SHOWN PRE-FINISHED

ONELITE SERIES

Our Onelite Series was made to maximize natural light and give your home a lustrous glow. Offered in our classic oak grain and smooth finish coats, these doors encompass style while providing superb flexibility. For example, this line incorporates a fine, flush glazed glass with a removable stop to allow the glass to be switched without changing the entire door. Another benefit is that this series gladly reduces your energy bill, as these doors are available with beautiful and energy-efficient low-emissivity glass. In fact, the only thing clearer than our remarkable glass is the win-win situation the Onelite series presents.

OAK GRAIN

SMOOTH FINISH

MAHOGANY GRAIN

● IN STOCK ● EXTENDED LEAD TIME



This model complies with ADA standards and can accommodate ADA required hardware for easy operation. Reinforced blocking and closures allow the following flexible hardware to be installed: panic bars, reinforced arm closures, and exit rim devices. These devices are easy to grasp with one hand and don't require tight grasping or twisting to operate.



10" BOTTOM RAIL

COMMERCIAL ADA DOOR

ONELITE SERIES



AVAILABLE FOR SPECIAL ORDER

- Sound Barrier Glass (STC:34)
- 3'6" and 4'0" widths

● IN STOCK ● EXTENDED LEAD TIME

FEATURES & BENEFITS



- 1 REINFORCED STILES**
For Panic Bar hardware and Exit Rim devices.
- 2 6.5" TOP RAIL**
Accommodates regular and parallel arm closures
- 3 5.5" FACE STILES**
Accommodates all types of commercial hardware (including 2-3/4" backset 161 prep and mortise locks).
- 4 BOTTOM RAIL TO ACCOMMODATE 10" KICK PLATE**
To protect your door and enhance accessibility, this 10.50" bottom rail allows the installation of a kick plate, up to 10" tall.
- 5 REMOVABLE GLASS STOP**
Switch the glass as needed without changing the entire door.

FLUSH GLAZED FULL LITE DOOR



GLASS OPTIONS



FLUSH GLAZED HALF LITE DOOR

ONELITE SERIES



GLASS OPTIONS



FLUSH GLAZED 3/4 LITE DOOR



GLASS OPTIONS





ALL DOORS ARE SHOWN PRE-FINISHED

NOVA SERIES

Plastpro's Nova Series is an absolute stunner that will turn your entryway into the neighborhood's main attraction. Our Nova Series is most notable for the tall spotless glass that is directly glazed into the door to create a seamless blend between the glass and door. The large glass pane can be outlined in two models: the 45 with a traditional, Craftsman sticking, in a Smooth or Fir skin, and the 90 with a modern, Shaker sticking and Brushed Smooth finish. Welcome beautiful scenery, natural light, and most importantly your loved ones into a space that outsiders can't help but envy a little.


FIR GRAIN

SMOOTH FINISH

BRUSHED SMOOTH FINISH

● IN STOCK ● EXTENDED LEAD TIME


NOVA 45 SMOOTH FINISH & FIR GRAIN



NOVA 90 BRUSHED SMOOTH FINISH



ONYX NOVA 90 BRUSHED SMOOTH FINISH



Plastpro's Infinite Finish in ONYX is pigmented fiberglass skin giving you the contemporary look of a black door without the frequent need for maintenance or painting. The color is literally built into your door.

NOVA 45

FULL LITE DIRECT GLAZED

NOVA SERIES

6'8"




2'0" • 2'6" • 2'8" • 3'0"

DRS1DL
LowE 272/Impact LowE 366



8'0"



2'0" • 2'6" • 2'8" • 3'0"

DRS1D80L
LowE 272/Impact LowE 366



6'8"



2'0" • 2'6" • 2'8" • 3'0"

DRF1DL
LowE 272/Impact LowE 366




8'0"



2'0" • 2'6" • 2'8" • 3'0"

DRF1D80L
LowE 272/Impact LowE 366





NOVA 45 FEATURES AND BENEFITS


- 1 COMPOSITE STILE CAP
- 2 FULL-LENGTH LVL *(Hinge & Strike side, for extra rigidity)*
- 3 INSULATED 3/4" GLASS *(LowE 272, Impact LowE 366)*
- 4 COMPRESSION MOLDED FIBERGLASS SKIN
- 5 LEAK PROTECTION GLAZING TAPE
- 6 INTEGRALLY MOLDED GLASS STOP
- 7 HIGH INSULATION RIGID FOAM
- 8 ADA COMPLIANT BOTTOM RAIL
- 9 COMPOSITE BOTTOM RAIL

NOVA SERIES



Nova Series • DRF1DL • LowE 272


NOVA 45 SDL KITS




NOVA SERIES

FEATURES AND BENEFITS


- ① Available in Smooth and Fir Grain finish.
- ② Notched cutout pattern for perfect alignment.
- ③ Matching Nova 45 style profile.
- 3M adhesive back for easy installation.
- Made from composite material, will not rot.
- Features a 1.125"(w) x 0.295"(h) modern trapezoidal profile.




10 LITE 2X5




12 LITE 2X6




12 LITE 3X4



15 LITE 3X5



18 LITE 3X6




9 LITE

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.

NOVA 45 SDL KIT CONFIGURATIONS

6'8"



10 LITE 2X5
ACSD1D68-10L

6'8"



12 LITE 2X6
ACSD1D68-12L26

6'8"



12 LITE 3X4
ACSD1D68-12L34

6'8"



15 LITE 3X5
ACSD1D68-15L

6'8"



9 LITE
ACSD1D68-9LQ

6'8"



10 LITE 2X5
ACSDW1D68-10L

6'8"



12 LITE 2X6
ACSDW1D68-12L26

6'8"



12 LITE 3X4
ACSDW1D68-12L34

6'8"



15 LITE 3X5
ACSDW1D68-15L

6'8"



9 LITE
ACSDW1D68-9LQ

8'0"



10 LITE 2X5
ACSD1D80-10L

8'0"



12 LITE 2X6
ACSD1D80-12L26

8'0"



12 LITE 3X4
ACSD1D80-12L34

8'0"



15 LITE 3X5
ACSD1D80-15L

8'0"



18 LITE 3X6
ACSD1D80-18L

8'0"



9 LITE
ACSD1D80-9LQ

8'0"



10 LITE 2X5
ACSDW1D80-10L

8'0"



12 LITE 2X6
ACSDW1D80-12L26

8'0"



12 LITE 3X4
ACSDW1D80-12L34

8'0"



15 LITE 3X5
ACSDW1D80-15L

8'0"



18 LITE 3X6
ACSDW1D80-18L

8'0"




9 LITE
ACSDW1D80-9LQ



NOVA 90


FULL LITE DIRECT GLAZED

NOVA SERIES



GLASS OPTIONS





NOVA 90 FEATURES AND BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL-LENGTH LVL *(Hinge & Strike side, for extra rigidity)*
- 3 WOOD BLOCKING *(For structural support in HVHZ Impact models)*
- 4 STEEL BEAM *(Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models)*
- 5 INSULATED 1" GLASS
- 6 COMPRESSION MOLDED FIBERGLASS SKIN
- 7 BRUSHED FINISHED TEXTURE
- 8 INTEGRALLY MOLDED GLASS STOP
- 9 HIGH-DENSITY POLYURETHANE FOAM
- 10 ADA COMPLIANT BOTTOM RAIL
- 11 COMPOSITE BOTTOM RAIL



Nova Series • DRS1SL • LowE 272

NOVA 90


DIRECT GLAZED 3/4 LITE

NOVA SERIES



STOCK VARIES BASED ON GLASS SELECTION, PLEASE CONTACT FOR AVAILABILITY

GLASS OPTIONS





NOVA 90 FEATURES AND BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL-LENGTH LVL (*Hinge & Strike side, for extra rigidity*)
- 3 WOOD BLOCKING (*For structural support in HVHZ Impact models*)
- 4 STEEL BEAM (*Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models*)
- 5 INSULATED 1" GLASS
- 6 COMPRESSION MOLDED FIBERGLASS SKIN
- 7 BRUSHED FINISHED TEXTURE
- 8 INTEGRALLY MOLDED GLASS STOP
- 9 HIGH-DENSITY POLYURETHANE FOAM
- 10 ADA COMPLIANT BOTTOM RAIL
- 11 COMPOSITE BOTTOM RAIL


NOVA SERIES



ONYX NOVA 90

FULL LITE DIRECT GLAZED

NOVA SERIES



GLASS OPTIONS*

Also available in HVHZ Impact Glass



LowE 272 (Impact LowE 366)

TRANSLUCENT





FLEMISH

RAIN


*Approximate representations, actual product may vary.

GLASS OPTIONS



ONYX NOVA 90

DIRECT GLAZED 3/4 LITE




GLASS OPTIONS*

Also available in HVHZ Impact Glass



LowE 272 (Impact LowE 366)

TRANSLUCENT





FLEMISH

RAIN

*Approximate representations, actual product may vary.

GLASS OPTIONS





STAINING GUIDES



PAINTING GUIDES

MATERIALS NEEDED

- Pre-Mixed Oil-Based Stain (1/2 pint)
- Mineral Spirits (4 fl. oz.)
- Topcoat/Sealer (20 fl. oz.)
- Two Lint-free Clean Cloths
- One Pair Protective Glove
- 3" China Bristle Brush
- Two Stir Sticks
- Two Skin Samples
- Finishing Instruction

STAINING INSTRUCTIONS

SURFACE PREPARATION

- Lay door horizontally on sawhorses or a table.
- Remove all the hardware and mask off anything you don't want stained, such as the glass insert.



DO NOT SAND TEXTURED FIBERGLASS

- Wipe the Door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain.


STAIN APPLICATION

Wood Grain Doors:

- Starting at the center of the Door, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the Door grain.
- With a clean cloth softly wipe the surface until you reach your desired tone. TIP: When the rag becomes saturated with stain, refold to work with a less saturated section. Be sure to use the same rag for the whole Door.
- After all stain is brushed evenly, you may add finishing touches by using a small 1" to 2" brush or cotton swabs.
- If desired allow the Door to dry following the manufacturer's instructions for drying time between coats, then repeat the above process.

Brushed Finish Doors (Nova 90):

- Mix stain with stir stick. Apply stain with a 3" to 4" soft bristle brush
- Wait 5-10 minutes then wipe off excess stain using a clean cloth.
- To stain smooth stiles of the door brush the stain on and do not wipe it off.
- Allow the Door to dry following the manufacturer's instructions for drying time between coats, then repeat the above process.



PROTECTIVE TOPCOAT

Application of polyurethane topcoat with UV inhibitors like ZAR™ Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications.

- After stain has completely dried (48 hours) mix the topcoat well and apply evenly using a clean, dry 2" soft bristle brush or 3" foam brush. Be sure to stop when the grain changes direction.
- Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.

MATERIALS NEEDED

- Lint-free Cloth
- Mineral Spirits
- Rubber Gloves
- Masking Tape
- 4" Bristle Brush
- For water-based application: acrylic-based primer* / acrylic latex-based exterior grade paint

For Smooth Doors ONLY

- Scotch Brite Pad (Fine) or 320-400 grit sandpaper

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

PAINTING INSTRUCTIONS

SURFACE PREPARATION

- Lay door horizontally on sawhorses or a table.
- Remove all the hardware and mask off anything you don't want painted, such as the glass insert.

- **Smooth Doors ONLY:** Lightly scuff/sand the surface with a Scotch Brite pad or fine sand paper.

DO NOT SAND TEXTURED FIBERGLASS.

- Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow acetone to dry from the surface before applying.
- Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.

PRIMING

- Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the primer to ALL 6 sides. Doors which have been bored and mortised, or machined for hardware should be primed inside of the lock bore, or prepped area as well.
- The primer must be completely dry before applying the topcoat.



PAINTING

- Apply exterior grade paint with a 4" brush beginning with the panels.
- It is a common practice to paint both door stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
- Continue to apply the topcoat to ALL 6 sides of the door which have been bored and mortised for hardware- should be finished inside of the lock bore as well.

IMPORTANT TO NOTE: It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

CAUTION: Read and follow all the manufacturer's safe use instructions before using any chemical product.

TESTING RESULTS

ASTM D1761	Screw holding capacity.
NWWDA TM-7	Cycle slam test.
NWWDA TM-8	Hinge load resistance test.
ASTM E 283	Air infiltration.
ASTM E 331 / E 547	Water resistant.
ASTM E 330	Uniform structural load.
ASTM E1886 / E1996	Impact / cycle test.
AAMA 1304	Forced entry resistance test.
TAS 201	Impact test.
TAS 202	Air / water / structural test.
TAS 203	Wind pressure cycle test.
NFRC 100 / 200 / 500	Energy efficiency.
ASTEM E90 / STC / OITC	Sound transmission.
ULC 10 C / NFPA 252 / ASTM E 2074	Fire rated.
CDPH / EHLB METHOD V1.1 2010	Volatile organic chemical emission test.
JIS Z 2801:2001	Antimicrobial products test.
ASTM D1413-07	Antifungal wood plastic composite test.
CSFM 12-7A-1	Exterior wildfire exposure test.
AAMA 1702	Exterior door test for manufactured housing.
AAMA 920	Operating cycle test.
AAMA / WDMA / CSA 101 / I.S./A440 (NAFS)	North America fenestration test.

The PLASTPRO DOOR met requirements for sawing, planing, routing, boring, drilling and chiseling. For more specific results, please see our website at www.plastproinc.com or contact our Customer Service Department at 1 (800) 779-0561.



WARNING: These products may include styrene, titanium dioxide, and wood dust, which are known to the State of California to cause cancer. For more information go to www.p65warnings.ca.gov



www.plastproinc.com

5200 W. Century Blvd, 9th Floor ■ Los Angeles, CA 90045

Phone: (800) 779-0561 ■ Fax: (310) 693-8620



© 2024 Plastpro Inc. All Rights Reserved

Product # MKLFLB2024 Updated Jan 2024